

RICEWQ: PESTICIDE RUNOFF MODEL FOR RICE CROPS

USERS MANUAL AND PROGRAM DOCUMENTATION VERSION 1.7.3

Serial # 001-173-0065

Prepared by

W. Martin Williams
Amy M. Ritter
Christienne E. Zdinak
J. Mark Cheplick

Waterborne Environmental, Inc.
897-B Harrison Street, S.E.
Leesburg, VA 20175

April 2008

PREFACE

RICEWQ was developed to evaluate the dissipation and runoff of agrochemicals from their use on aquatic crops. Our objective was to address predominant dissipation pathways while maintaining minimal input requirements for user comfort. Additional sophistication continues to be incorporated into the model on an "as-needed" basis.

Water quality algorithms were derived in part from the lake water-quality model contained within SWRRBWQ (Simulator for Water Resources in Rural Basins - Water Quality) by Jeffrey Arnold, Ph.D., U.S. Department of Agriculture, Agricultural Research Service, Grassland, Soil and Water Research Laboratory, Temple, Texas.

We would like to thank Raymond Layton, Ph.D., of DuPont Agricultural Products for the opportunity to validate and apply the model on a number of aquatic monitoring studies conducted in and around rice paddies in Arkansas and Louisiana. We are indebted to Scott Jackson, Ph.D., BASF Corporation, and Robert Theissen, Ph.D., Rhone-Poulenc Ag Company, for co-sponsoring the addition of metabolite algorithms into RICEWQ.

Acknowledgments are also due to Kristen Umbaugh of Waterborne Environmental, Inc., for assistance with graphics and other aspects of manual production.

Waterborne Environmental, Inc., offers a full range of services in support of RICEWQ including:

- User support;
- Model customization;
- Site- and chemical--specific calibration and validation;
- Design, execution, and interpretation of aquatic monitoring studies; and
- Model application and probabilistic exposure assessments.

SOFTWARE LICENSE AGREEMENT

Waterborne Environmental, Inc., (WEI) assigns a unique serial number to each Software package. For the purposes of this agreement, "Software" is defined as the contents of any electronic or printed media included in this package, as well as any other electronic or printed media associated with the same serial number.

This software is owned by Waterborne Environmental, Inc. WEI retains the rights to make and license the use of all copies. No part of this manual or software may be copied or distributed, transmitted, transcribed, stored in a retrieval system, or translated into any human or computer language, in any form or by any means, electronic, mechanical, magnetic, manual, or otherwise, or disclosed to third parties without the expressed written permission of Waterborne Environmental, Inc., except that a hard-disk working copy of the Software may be made and the original and backup copies may be maintained solely for archival purposes.

Use of this Software indicates your acceptance of this Agreement. This Agreement is effective until terminated. If you do not agree with the terms of this Agreement, please return the Software for a full refund. You may terminate this Agreement at any time by destroying the Software together with all copies thereof. This Agreement will also terminate if you fail to comply with any term or condition of this Agreement. You agree upon such termination to return or destroy the Software together with all copies. This Agreement is governed by the laws of the Commonwealth of Virginia, U.S.A.

DISCLAIMER

Waterborne Environmental, Inc., reserves the right to revise its Software and publications with no obligation of Waterborne Environmental, Inc., to notify any person or any organization of such revision. In no event shall Waterborne Environmental, Inc., be liable for any loss of profit or any other commercial damage, including but not limited to special, consequential, or other damages resulting from the use of this software.

COPYRIGHT

Copyright© 1997 by Waterborne Environmental, Inc.

CONTENTS

Section

- 1.0 Introduction
 - 2.0 Governing Equations
 - 3.0 Computer System Requirements
 - 4.0 Users Manual
 - 5.0 Example Application
 - 6.0 References
- Appendix A. Variable Definitions

1.0 INTRODUCTION

Rice agriculture presents a unique problem with respect to agrochemical runoff because of the high seasonal rainfall, water management practices, and proximity of cropland to surface-water bodies typical of rice-growing areas. RICEWQ is a water quality simulation model that can be used to evaluate the dissipation of a chemical in an aquatic system and to predict the runoff losses of agrochemicals to receiving waters. The model was developed to simulate water and chemical mass balance associated with the unique flooding conditions, overflow, and controlled releases of water that are typical with rice production.

Processes represented in RICEWQ are illustrated in Figure 1. Water balance algorithms account for precipitation, evaporation, seepage, irrigation, releases and overflow from various paddy outlet configurations, and controlled drainage prior to harvest. Pesticide application algorithms accommodate a single parent chemical with up to four metabolites, multiple applications, chemical losses from drift, and foliage and water interception. Crop algorithms include plant growth from emergence to maturation, associated pesticide washoff and degradation on foliage, and deposition of pesticide residues of foliage after harvest. Water quality algorithms include dilution, volatilization, partitioning between water and bed sediments, decay in water and sediment, and resuspension from bed sediments.

This document presents the governing equations, computer system requirements, users manual, and an example application of the model in predicting pesticide losses in runoff.

2.0 GOVERNING EQUATIONS

Model simulation involves mathematically tracking the total mass of chemical residues in the paddy from the point of application in terms of mass balance. The mass balance equation can be expressed by the following:

$$V \frac{\partial C}{\partial t} = \sum M_{influx} - \sum M_{outflux} - \sum M_{react} \quad (1)$$

in which ∂C is the change in concentration over time (∂t), $\sum M_{influx}$ and $\sum M_{outflux}$ are cumulative influx and outflow of chemical mass from the control volume, V (i.e., the rice paddy), and $\sum M_{react}$ is mass transformation from all processes. Using a daily time step, RICEWQ simultaneously tracks mass balance of chemical in three media: rice foliage, water column, and benthic sediments.




FIGURE 1 . Schemat

ic of RICEWQ processes

Foliage. Chemical residues on foliage are expressed by the mass balance equation:

$$\frac{\partial M_F}{\partial t} = +M_{Fapp} - M_{Fdeg} + M_{Ftran} - M_{wash} - M_{harv} \quad (2)$$

in which ∂M_F is the change in chemical mass on foliage over time (∂t), M_{Fapp} is the parent pesticide application intercepted by foliage, M_{Fdeg} is the mass degraded on foliage, M_{Ftran} is the metabolite mass formed by transformation of parent compound, M_{wash} is the mass washed off from foliage, and M_{harv} is the allocation of pesticide mass after harvest (removed from system, left alone and available for washoff, or applied to bed sediment).

Water. Chemical residues in water are assumed to be instantaneously diluted (i.e., well mixed in the paddy). The mass balance equation for the water column can be expressed by:

$$\frac{\partial M_W}{\partial t} = M_{Wapp} + M_{wash} - M_{Wdeg} + M_{Wtran} - M_{volat} - M_{out} - M_{seep} - M_{bed} - M_{setl} + M_{resus} \pm M_{difus} \quad (3)$$

in which ∂M_W is the change in chemical mass in water over time (∂t), M_{Wapp} is the portion of parent application not lost to drift or intercepted by crop, M_{Wdeg} is the mass degraded in water, M_{Wtran} is the metabolite mass formed by transformation of parent compound, M_{volat} is the mass volatilized across the air-water interface, M_{out} is the mass lost in overflow or drainage, M_{seep} is the mass lost in seepage, M_{bed} is the mass transfer to bed sediment by direct partitioning, M_{setl} is the mass transfer to sediment by particulate settling, M_{resus} is resuspended mass, M_{difus} is the mass diffusion between the water and sediment, and other terms as previously defined.

Chemical residue concentrations in the water are compared to the solubility of the chemical to check that the concentration is less than the solubility. If the chemical residue concentration is greater than the chemical solubility, then the concentration is set equal to the solubility and the difference is added to the sediment mass as precipitate.

Chemical partitioning between the water column and sediment occurs by direct partitioning, diffusion, settling of chemical sorbed to suspended sediment, and resuspension of sorbed sediments:

$$\frac{\partial M_S}{\partial t} = -M_{Sdeg} + M_{Stran} + M_{bed} + M_{setl} - M_{resus} \pm M_{difus} \quad (4)$$

in which ∂M_S is the change in chemical mass in sediment over time (∂t), M_{Sdeg} is the chemical mass degraded in sediment, M_{stran} is the metabolite mass formed by transformation of parent compound, and M_{resus} is mass reintroduced to the water column via resuspended sediments, and other terms as previously defined.

Pesticide application is allocated to three separate components: (1) losses to drift, (2) interception by unsubmerged rice foliage, and (3) interception by water. The percentage loss to drift is specified by the user. The allocation between crop foliage and paddy water is based on the stage of crop simulated by the model at the time of application:

$$M_{Fapp} = M_{app} * (1 - DRIFT) * COVER * SA \quad (5)$$

in which M_{Fapp} is the parent mass intercepted by foliage, M_{app} is the parent application rate per unit area, $DRIFT$ is the fraction lost to drift, $COVER$ is the interception potential of foliage at the time of application, and SA is the surface area of the paddy. Crop cover is calculated through linear interpolation of the date of pesticide application and user-supplied dates for emergence and maturation:

$$COVER = COVMAX * \frac{IGROW}{JGROW} \quad (6)$$

in which $COVMAX$ is the interception potential of foliage at crop maturation, $IGROW$ is the number of days since crop emergence, and $JGROW$ is the total number of days between emergence and maturation. Both $IGROW$ and $JGROW$ are calculated internally in the model as a function of simulation day and user defined dates for emergence and maturation. The mass intercepted by water, M_{Wapp} , is the remainder after drift losses and foliar interception:

$$M_{Wapp} = M_{app} * (1 - DRIFT) * (1 - COVER) * SA * (1 - SNK) \quad (7)$$

The variable SNK is the fraction of the mass of applied pesticide that is intercepted by water and immediately transformed to innocuous product. This feature was included in RICEWQ for a specific study, but would not typically be used (i.e., $SNK = 0.0$ for most simulations). The mass of pesticide degraded on foliage, M_{Fdeg} , is calculated by first-order decay:

$$M_{Fdeg} = M_F e^{-K_f * dt} \quad (8)$$

in which M_F is the mass of chemical on foliage and K_f is the foliar decay rate constant in units of day^{-1} and dt is the 1-day time interval used in the model. Washoff, M_{wash} , is calculated as a function of precipitation:

$$M_{wash} = M_F (\theta * P) \quad (9)$$

in which θ is the foliar extraction coefficient expressed as a washoff fraction per centimeter of precipitation and P is the precipitation for the day. RICEWQ uses a linear crop-growth and pesticide washoff model similar to the U.S. Environmental Protection Agency's Pesticide Root Zone Model (PRZM3) (Carsel, et al., 1998).

In the water column, chemical is partitioned between two phases: dissolved and sorbed to suspended sediment.

$$F_{DW} = \frac{1}{1 + K_d C_{SS}} \quad (10)$$

$$F_{PW} = \frac{K_d C_{SS}}{1 + K_d C_{SS}} \quad (11)$$

F_{DW} is the dissolved fraction in water, F_{PW} is the fraction sorbed to suspended sediment, C_{SS} is the concentration of suspended sediment (mg/m^3), and K_d is the water-sediment partition coefficient (m^3/mg). Concentrations of suspended sediment are held constant in the model, although the fraction of chemical adsorbed to suspended sediment is allowed to settle to the benthic sediments based on the following equation:

$$M_{setl} = (K_{setl} * \frac{F_{PW} * M_w}{D_w}) * dt \quad (12)$$

in which K_{setl} is a user-specified settling velocity M_w is the mass of chemical in the water column, and D_w is the depth of water in the paddy during a specific time step. Direct partitioning of dissolved residues in the water column to bed sediment may occur according to the following equation:

$$M_{bed} = (K_d * F_{DW} * C_w * K_{bed} * \rho_b * SA) * dt \quad (13)$$

in which C_w is the concentration of chemical in the water column, K_{bed} is an empirical coefficient relating bed water column and bed sediment mixing/contact time and ρ_b is the bulk density of the sediment. Conceptually K_{bed} can be envisioned as the layer depth of bed sediment that is well-mixed with the overlying bed sediment. Values on the order of 0.1 to 0.3 cm/day have reproduced observed concentrations in a limited number of calibrations to aquatic field studies. Degradation in water is represented by first-order decay:

$$M_{Wdeg} = M_w e^{-K_w * dt} \quad (14)$$

in which K_w is the decay rate constant in units of day^{-1} . The user can input decay rates for metabolism, hydrolysis, and/or photolysis. Volatilization is the exchange of chemical across the air-water interface and acts only on the dissolved fraction:

$$M_{volat} = (K_{volat} * \frac{F_{DW} * M_w}{D_w}) * dt \quad (15)$$

in which F_{DW} is the fraction of chemical mass in dissolved phase, K_{volat} is the rate of volatilization (m/day), and D_w is the depth of water in the paddy at a specific time step. The mass lost through seepage, M_{seep} , and outflow, M_{out} , are calculated directly from water losses and associated concentration (M_w/V_w):

$$M_{seep} = (Q_{seep} * SA * \frac{M_w}{V_w}) * dt \quad (16)$$

$$M_{out} = (Q_{out} * \frac{M_w}{V_w}) * dt \quad (17)$$

in which V_w is the volume of water in the paddy at the specific time step, Q_{seep} is the seepage rate (m/day), and Q_{out} is the flow draining from the paddy in m³/day. Diffusion is a function of concentration gradients between the water column and bed sediments:

$$M_{diffus} = K_{diffus} * SA * (F_{DS} * C_s - F_{DW} * C_w) \quad (18)$$

in which K_{diffus} is the rate of diffusion in m/day, SA is the surface area of the paddy in m², C_s is the concentration of chemical in sediment, and F_{DS} represents the fraction of chemical residues in dissolved form and within voids in the sediment (i.e., not sorbed to bed sediment particles). F_{DS} is expressed as:

$$F_{DS} = \frac{\phi}{\phi + K_d * \rho_b} \quad (19)$$

in which K_d is the water-sediment partition coefficient (cc/g), ϕ is the porosity of the sediment, and ρ_b is the bulk density of the sediment. Degradation in the sediment is calculated using first-order kinetics:

$$M_{Sdeg} = M_s e^{-K_s * dt} \quad (20)$$

in which M_s is the mass of chemical in sediment, K_s is the decay rate constant in units of day⁻¹. The user can input decay rates for saturated soil (anaerobic aquatic decay rate) and unsaturated soil (aerobic soil decay rate). Resuspension (M_{resus}) occurs when precipitation or other activity suspends particles that have been previously deposited. In RICEWQ resuspension is assumed to be equal to the amount settled out of the system in order to maintain a constant suspended sediment concentration.

The governing equations as described above for mass balance of chemical in rice foliage, water column and benthic sediments are applied for the parent chemical and up to four metabolites. Metabolite mass in rice foliage, water column and benthic sediments is formed by the transformation of the parent to the metabolite and is expressed by the following:

Foliar:

$$M_{Ftran} = Y_F * M_{Fdegp} \quad (23)$$

in which M_{Ftran} is the mass of metabolite formed on foliage by transformation from parent, Y_F is the foliar yield of parent to metabolite or fraction of parent which forms metabolite on foliage and M_{Fdegp} is the mass of parent degraded on foliage as found by Equation 8 where $M_{Fdegp} = M_{Fdeg}$.

Water:

$$M_{Wtran} = Y_W * M_{Wdegp} \quad (24)$$

in which M_{Wtran} is the mass of metabolite formed in water by transformation from parent, Y_W is the aquatic yield of parent to metabolite or fraction of parent which forms metabolite in water and M_{Wdegp} is the mass of parent degraded in water as found by Equation 14 where $M_{Wdegp} = M_{wdeg}$.

Sediment:

$$M_{Stran} = Y_S * M_{Sdegp} \quad (25)$$

in which M_{Stran} is the mass of metabolite formed in sediment by transformation from parent, Y_S is the sediment yield of parent to metabolite or fraction of parent which forms metabolite in sediment and M_{Sdegp} is the mass of parent degraded in sediment as found by Equation 20 where $M_{Sdegp} = M_{Sdeg}$.

The user may specify up to two yields each for foliar, aquatic and benthic formation of each metabolite to simulate each phase of a bi-phase transformation of parent to metabolite.

Water Balance. RICEWQ uses a storage accounting model to calculate the water balance in the paddy:

$$\frac{\partial S}{\partial t} = \Sigma I - \Sigma O \quad (26)$$

in which the change in storage, ΔS , over time, Δt , is equal to the cumulative sum of inflow, $\sum I$, and outflow, $\sum O$, sources.

Inflow sources include precipitation, which is read from an external file, and irrigation, which can either be regulated automatically or applied at a fixed volume by the user. The automated option requires the depth of water in the paddy at which irrigation will commence (e.g., minimum water level during periods without rainfall) and the depth at which irrigation will cease once it is initiated. Both options require the pumping rate of the irrigation system.

Outflow is the result of evapotranspiration, seepage, overflow, and controlled drainage. Seepage occurs at a constant rate that is specified by the user. Daily pan evaporation is either read from the external meteorological file or calculated from monthly pan-evaporation rates from the basic input data file. Evapotranspiration is assumed equal to pan evaporation, which is a valid assumption for an aquatic environment (Linsley & Franzini, 1979). Overflow occurs when irrigation and precipitation exceeds the depth of the outlet in the paddy (e.g., weir or riser). Paddy drainage occurs by regulating the height of the drainage outlet.

In the current version of RICEWQ, rainfall after drainage does not cause desorption of sediment-bound chemical and subsequent pesticide losses in runoff.

3.0 COMPUTER SYSTEM REQUIREMENTS

Computer system requirements for RICEWQ version 1.73 are modest. Distributed versions of RICEWQ are compiled using the Lahey/Fujitsu Fortran 95 Compiler Release 5.60a to run under MS-DOS (Lahey, 2000). Most applications can be simulated on computer systems containing an 80486 processor or faster running under MS-DOS with a single high-density 1.44 MB floppy disk. However, processing time can be reduced significantly using a math co-processor and hard disk input/output (I/O). This version of RICEWQ is used in the Windows application.

4.0 USERS MANUAL

RICEWQ operates with two input files and up nine output files (Figure 2):

- RICEWQ.INP. Input file describing the paddy system and pesticide application dates, rates, and physicochemical properties.
- RICEWQ.MET. Input file containing daily precipitation and pan evaporation for the period of simulation. The file format is identical to that used by the U. S. Environmental Protection Agency's Pesticide Root Zone Model, PRZM3.12 (Carsel, et al., 1998).
- RICEWQ.ZZZ. Output file containing an echo of input data. This file should be examined to ensure that input parameters are read correctly.
- RICEWQ.ZZH. Output file containing daily water balance: precipitation, pan evaporation losses, seepage losses, water depth, and whether outflow occurred from overflow or drainage. The file also indicates on which days irrigation occurred.
- RICEWQ.ZP0. Output file containing daily pesticide concentrations in water, sediment and foliage for each chemical in the simulation.
- RICEWQ.ZP(I), I=1,NCHEM. Output files containing daily pesticide mass balance for each chemical simulated: application amounts and losses due to degradation in water and sediment, volatilization, direct binding, settlement, resuspension, seepage and diffusion between the water column and benthos. Daily concentrations in water and sediment are also reported.
- RICEWQ.ZZT. Output file containing time series of pesticide mass and water volumes lost from overflow or drainage. The file can be used as a loading input to receiving water models.

Additional transfer files are created for experienced users of EXAMS (Burns, 2002).




FIGURE 2. Input and Output File Structure

The file names listed above must be used when running the program (i.e., names are "hard-wired" in the program). MS-DOS batch files may be created to copy or rename default file names to and from user names. A sample batch file is provided in the example application (Section 6.0).

BASIC INPUT DATA: RICEWQ.INP (continued)

Input data requirements for both the basic input file (RICEWQ.INP) and the meteorological file (RICEWQ.MET) are described in the following tables. Each input file consists of "card groups" that contain parameter values for a specific category of input. Each *card* in a card group (e.g., 2A or 2B) represents a single line in the file.

Cards contain one or more parameter values which typically must reside within specific columns in the card. Exceptions are cards having "free" formats in which variables do not need to reside within specific columns, but must be separated by a comma (",") or space (" "). Card groups, parameter names and descriptions (including units of measure), and required columns are described below. The equivalent FORTRAN format is given in parentheses below column requirements.

METEOROLOGICAL FILE: RICEWQ.MET

Card Group	Columns	Parameter	Description
1A	2 - 3 4 - 5 6 - 7 8 - 17 18 - 27 (1X, 3I2,, 2F10.2)	MM MD MY PRECIP EVAP	Month Day Year Total precipitation for the day (cm) Total evaporation for the day (cm). Required only if EVAPM(1) is <0.0 (see card group 4B of RICEWQ.INP).
Note: Repeat card group 1A for every day of simulation JM, JD, JY through KM KD, KY (see card group 2B of RICEWQ.INP)			

BASIC INPUT DATA: RICEWQ.INP

Card Group	Format	Parameter	Description
1	1 - 80 (A80)	TITL(I), I=1,3	Title of simulation (3 lines)
2A	1 - 80 (A80)	IDUM	Card group identifier (Simulation Control)

BASIC INPUT DATA: RICEWQ.INP (continued)

Card Group	Format	Parameter	Description
2B	free (*)	JM JD JY KM KD KY NTSD EXFL	Month to begin simulation Day to begin simulation Year to begin simulation Month to end simulation Day to end simulation Year to end simulation Number of simulation time steps in a day EXAMS Flag 0 = Does not create an EXAMSII transfer file 1 = Creates an EXAMSII transfer file
3A	1-80 (A80)	IDUM	Card group identifier (Crop Related Properties)
3B	free (*)	JEM JED KMM KMD KHM KHD COVMAX IHFL	Month of crop emergence Day of crop emergence Month of crop maturation Day of crop maturation Month of harvest Day of harvest Maximum areal coverage of crop (fraction) Deposition of pesticide residues at harvest -1 = left alone -2 = foliar residues removed from system 0-100 = tillage (foliar residues added to sediment with IHFL being a user specified percentage in combined residue in active sediment layer - see DACT in card group 9B)
4A	1 - 80 (A80)	IDUM	Card group identifier (Irrigation and Drainage Controls)
4B	free (*)	NDORF	Number of drainage or irrigation changes
4C	free (*)	IDM(I) IDD(I) IRFLAG(I) DIRR1(I) DIRR2(I) IRATE(I) DOUT(I) DR8MAX(I)	Month to drain, irrigate, or stop irrigating paddy Day to drain, irrigate, or stop irrigating paddy Flag for drain/no irrigation (0), automatic irrigation (1), fixed volume irrigation (>1) Depth of water to initiate irrigation (cm) Depth of water to terminate irrigation (cm) Irrigation rate (cm/day) Depth of paddy outlet (cm) Maximum drainage rate (cm/day)
<p>Note: Values for DIRR1 and DIRR2 are ignored unless IRFLAG=1 Note: Repeat card 4C for each drainage or irrigation change (I = 1, NDORF)</p>			
5A	1-80 (A80)	IDUM	Card group identifier (Paddy Geometry)

BASIC INPUT DATA: RICEWQ.INP (continued)

Card Group	Format	Parameter	Description
5B	free (*)	SA DMAX DLAKE SEEP DACT FC WP SM BD CSS	Surface area of paddy (hectares) Depth of paddy outlet or berm height (cm) Initial depth of water in paddy (cm) Seepage rate (cm/ha/day) Depth of active sediment layer (cm) Field capacity (cm/cm) Wilting point (cm/cm) Initial soil moisture (cm/cm) Bulk density of bed sediment (g/cc) Suspended sediment concentration (mg/L)
6A	1-80 (A80)	IDUM	Card group identifier (Monthly Pan Evaporation)
6B	free (*)	EVAPM(I), I=1,12	Monthly average pan evaporation for each month of year (cm). Note: If daily pan evaporation will be read from meteorological file, RICEWQ.INP, set EVAPM(1) to -1.
7A	1 - 80 (A80)	IDUM	Card group identifier (Pesticide Application)
7B	free (*)	NAPP	Number of pesticide applications
7C	free (*)	IAM(I) IAD(I) APP(I) DINC(I) APPEF(I) DRIFT(I)	Month pesticide is applied Day pesticide is applied Pesticide application rate (kg/ha) Depth of incorporation (cm) Application efficiency (fraction) Drift (percent) - used in EXAMSII transfer files
Note: repeat card group 7C for each application (I = 1, NAPP)			
8A	1 - 80 (A80)	IDUM	Card group identifier (Pesticide Related Properties)
8B	free (*)	NCHEM NPATHS	Number of chemicals in simulation Number of transformation paths for simulating metabolites
9A	1 - 80 (A80)	IDUM	Card group identifier (Pesticide Related Properties)
9B	free (*)	CNAME(I) CW0(I) CS0(I) CF0(I)	Chemical name Pesticide concentration in water (mg/L) Pesticide concentration in benthic sediments (mg/L) Pesticide concentration in foliage (mg/L)
Note: repeat card group 9B for each chemical (I = 1, NCHEM)			
10A	1 - 80 (A80)	IDUM	Card group identifier (Pesticide/Water Related Properties)

BASIC INPUT DATA: RICEWQ.INP (continued)

Card Group	Format	Parameter	Description
10B	free (*)	KWM(I) KWH(I) KWP(I) KSW(I) KSD(I) KF(I) WO(I) KD0(I) VVOL(I) VSETL(I) VBIND(I) VMIX(I) SOLUB(I) RREAC(I) SNK(I) BI-P(I)	Metabolism degradation rate in water (1/day) Hydrolysis degradation rate in water (1/day) Photolysis degradation rate in water (1/day) Degradation rate in saturated soil (sediment) (1/day) Degradation rate in unsaturated soil (1/day) Degradation rate on foliage (1/day) Washoff rate per cm of precipitation Water/sediment partition coefficient (cc/g) Volatilization coefficient (m/day) Settling velocity (m/day) Mixing depth to allow direct partitioning to bed (cm) Mixing velocity (diffusion) (m/day) Pesticide solubility in water (ppm) Release rate for slow release formulation (1/day) Fraction of non intercepted chemical immediately lost Flag for bi-phase transformation from parent to metabolite
Note: repeat card group 10B for each chemical (I = 1, NCHEM)			
11A	1 - 80 (A80)	IDUM	Card group identifier (Pesticide/Sediment Related Properties)
11B	free (*)	Parent(I) Met.(I) YWM(I) YWH(I) YWP(I) YSW(I) YSD(I) YF(I) YWM2(I) YWH2(I) YWP2(I) YSW2(I) YSD2(I) YF2(I) JDAT(I)	Number corresponding to parent chemical Number corresponding to metabolite chemical Fraction yield in water (metab.), single or 1 st phase parent to met. Fraction yield in water (hydro.), single or 1 st phase parent to met. Fraction yield in water (photo.), single or 1 st phase parent to met. Fraction yield in sed., single or first phase parent to met. Fraction yield in soil, single or first phase parent to met. Fraction yield on foliage, single or first phase parent to met. Fraction yield in water (metabolism), second phase parent to met. Fraction yield in water (hydrolysis), second phase parent to met. Fraction yield in water (photolysis), second phase parent to met. Fraction yield in sediment, second phase parent to met. Fraction yield in soil, second phase parent to met. Fraction yield on foliage, second phase parent to met. Date to start using second phase yield
Note: repeat card group 11B for each transformation path (I = 1, NPATH)			
12A	1 - 80 (A80)	IDUM	Card group identifier (EXAMSII Transfer File Properties)

Card Group	Format	Parameter	Description
12B	free (*)	ENV CHM1 PRNT2 PRNT3 CHM2 NPROC2 RFORM2 YIELD2 CHM3 NPROC3 RFORM3 YIELD3	EXAMSII environment catalog number EXAMSII chemical catalog number for chemical 1 Number corresponding to parent of chemical 2 Number corresponding to parent of chemical 3 EXAMSII chemical catalog number for chemical 2 Signals the type of process transforming from parent to met. Gives the reactive molecular form from parent to met. Product yield from the transformation pathway dimensions of mole of transformation product produced per mole of parent compound reacted EXAMSII chemical catalog number for chemical 3 Signals the type of process transforming from parent to met. Gives the reactive molecular form from parent to met. Product yield from the transformation pathway dimensions of mole of transformation product produced per mole of parent compound reacted
Note: See EXAMSII manual for NPROC and RFORM			

BASIC OUTPUT DATA: RICEWQ.ZZT

Variable	Units	Description
QOUT	m ³	Outflow of paddy
POUT(I)	mg	Mass of pesticide outflux for I= 1, NCHEM

BASIC OUTPUT DATA: RICEWQ.ZZH

Variable	Units	Description
PRECIP	cm	Daily precipitation
EVAP	cm	Daily pan evaporation
SEEP	cm	Daily water loss due to seepage
IDORF	NA	Status of irrigation / drainage flag. 1 = irrigation permitted 0 = irrigation not permitted -1 = drainage permitted.
IRR	cm	Daily irrigation.
DW0	cm	Paddy depth
QOUT	m ³	Outflow of paddy

BASIC OUTPUT DATA: RICEWQ.ZP0

Variable	Units	Description
PW(I)	mg	Pesticide mass in water
PS(I)	mg	Pesticide mass in sediment
PF(I)	mg	Pesticide mass on foliage
Note: output repeated for each chemical (I = 1, NCHEM)		

BASIC OUTPUT DATA: RICEWQ.ZP1

Variable	Units	Description
PWAP	mg	Pesticide application for day to water (Parent only)
PSAP	mg	Pesticide application for day to sediment (Parent only)
PFAP	mg	Pesticide application for day to foliage (Parent only)
PSSR	mg	Daily total formed from slow release (Parent only)
WO	mg	Daily total washoff
DECAYW	mg	Daily total decayed in water
DECAYS	mg	Daily total decayed in sediment
DECAYF	mg	Daily total decayed on foliage
VOLAT	mg	Daily pesticide mass volatilized
SETL	mg	Daily mass of pesticide settled
BIND	mg	Daily mass of pesticide transfer to bed sediment from direct partitioning
SEEP	mg	Daily mass of pesticide lost from water through seepage
SEEPS	mg	Daily mass of pesticide lost from sediment through seepage
RESUS	mg	Daily mass of pesticide resuspended
DIFUS	mg	Daily mass of pesticide diffused between water and sediment
PF	mg	Daily mass on the foliage
PW1	mg	Daily mass of the parent in the water
PS1	mg	Daily mass of the parent in the sediment
PW2	mg	Daily mass of the first metabolite in the water
PS2	mg	Daily mass of the first metabolite in the sediment
PW3	mg	Daily mass of the second metabolite in the water
PS3	mg	Daily mass of the second metabolite in the sediment
PW4	mg	Daily mass of the third metabolite in the water
PS4	mg	Daily mass of the third metabolite in the sediment
CPW	ppm (mg/l)	Daily parent concentration in water
CPS	ppm (mg/kg)	Daily parent concentration in bottom sediments

BASIC OUTPUT DATA: RICEWQ.ZP(I), I=2,NCHEM

Variable	Units	Description
PWAP	mg	Pesticide application for day to water (Parent only)
PSAP	mg	Pesticide application for day to sediment (Parent only)
PFAP	mg	Pesticide application for day to foliage (Parent only)
PSSR	mg	Daily total formed from slow release (Parent only)
WO	mg	Daily total washoff
DECAYW	mg	Daily total decayed in water
DECAYS	mg	Daily total decayed in sediment
DECAYF	mg	Daily total decayed on foliage
VOLAT	mg	Daily pesticide mass volatilized
SETL	mg	Daily mass of pesticide settled
BIND	mg	Daily mass of pesticide transfer to bed sediment from direct partitioning
SEEP	mg	Daily mass of pesticide lost from water through seepage
SEEPS	mg	Daily mass of pesticide lost from sediment through seepage
RESUS	mg	Daily mass of pesticide resuspended
DIFUS	mg	Daily mass of pesticide diffused between water and sediment
PF	mg	Daily mass on the foliage
PW	mg	Daily mass of the pesticide in the water
PS	mg	Daily mass of the pesticide in the sediment
CPW	ppm (mg/l)	Daily parent concentration in water
CPS	ppm (mg/kg)	Daily parent concentration in bottom sediments

5.0 EXAMPLE PROBLEM

Given: Surface area of paddy (ha) = 32.40
1.12 kg/ha will be applied on 6/5/91 (Julian day 156).
Application efficiency = 100.0%
Drift = 0.0%

Date simulation begins = 6/4/91 (Julian day 155)
Date simulation ends = 7/24/91 (Julian day 205)
Date of crop emergence = 5/16/91 (Julian day 136)
Date of crop maturity = 6/17/91 (Julian day 168)
Date of crop harvest = 7/20/91 (Julian day 201)
Maximum coverage of crop (fraction) = 0.90

Deposition of pesticide residue after harvest = left alone

Berm height of paddy (cm) = 21.00
Depth of paddy outlet (cm) = 20.50
Initial depth of paddy (cm) = 20.00
Seepage rate of paddy (cm/day) = 0.020
Irrigation rate (cm/day) = 15.0
Depth at which irrigation will begin (cm) = 5.00
Depth at which irrigation will cease (cm) = 20.00
Irrigation may be applied up to 5 days of draining
Date to drain paddy = 7/3/91 (Julian day 184)
Maximum drainage rate (cm/day) = 5.00
Depth of active sediment layer (cm) = 5.00
Field capacity (cm/cm) = 0.39
Wilting point (cm/cm) = 0.24
Soil moisture (cm/cm) = field capacity
Bulk density of bed sediment (g/cc) = 1.50
Precipitation and pan evaporation will be read from a meteorological file

NOTE: For ease of presentation, the following values were the same for parent and all metabolites for this example. However, the user may enter different values for each chemical simulated.

Initial pesticide concentration (ppm) = 0.0000
Water metabolism decay rate (1/day) = 0.0230
Hydrolysis decay rate (1/day) = 0.0000
Aquatic photolysis decay rate (1/day) = 0.0000
Volatilization coefficient (m/day) = 0.0000
Sediment-water partition coefficient (cc/g) = 15.00
Mixing depth to allow direct partition to bed sediment (cm) = 0.10
Settling velocity (m/day) = 2.00
Mixing velocity (diffusion) m/day = 0.001
Solubility (ppm) = 1,000,000.00

Initial pesticide conc. in bottom sediments (ppm) = 0.0000
Suspended sediment concentration (ppm) = 50.00
Saturated soil decay rate (1/day) = 0.0230

Unsaturated soil decay rate (1/day) = 0.0230

Release rate for slow release formulation (1/day) = 0.00

Washoff rate per cm of precipitation = 0.2

Foliar decay rate (1/day) = 0.0230

Fraction of applied chemical in water immediately transformed to innocuous = 0.0

Fraction of parent degraded in water, sed. and on foliage forming metab. 1 = 0.4

Fraction of parent degraded in water, sed. and on foliage forming metab. 2 = 0.2

Fraction of metab. 2 degraded in water, sed. and on foliage forming metab. 3 = 0.4

NOTE: In the input file the parent is chemical 1, metabolite 1 is chemical 2, metabolite 2 is chemical 3 and metabolite 3 is chemical 4.

Files

Input Files

TEST173.INP = Basic input data file

TEST173.MET = Meteorological data

Output Files

TEST173.ZZZ = Input echo

TEST173.ZZH = Hydrologic summary

TEST173.ZP0 = Summary of water, sediment, and foliar mass for each chemical

TEST173.ZP1 = Parent summary

TEST173.ZP2 = Metabolite 1 summary

TEST173.ZP3 = Metabolite 2 summary

TEST173.ZP3 = Metabolite 3 summary

R.BAT = MS-DOS batch file to copy input and output files to and from default file names, execute RICEWQ, and delete scratch (temporary files).




To execute, type the following command from the MS-DOS prompt:

R TEST173 <cr> (in which <cr> is carriage return)

The figure was created by importing columns from TEST173.ZZH, TEST173.ZZ0, TEST173.ZP1, TEST173.ZP2, TEST173.ZP3, and TEST173.ZZT into a spreadsheet.

Results

Results are shown in the attached figures. Concentrations in water and sediment are shown in Figure 3. Several "inflection" points can be seen in the concentration output. The first spike reflects pesticide application to the paddy and the second, smaller spike reflects pesticide washoff from plant foliage. Subtle changes in slope indicate overflow and/or dilution from precipitation events. The results of drainage are evident on Julian day 184. Figure 4 shows the water discharge and the chemical discharge for the parent chemical and metabolites. The listings of all input and output files are provided below.



F I

FIGURE 3: RICEWQ Results Using Hypothetical Example







FIGURE 3: RICEWQ Results Using Hypothetical Example (continued)

BASIC INPUT DATA FILE: TEST173.INP

```

TEST173.INP
Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals
** JM JD JY KM KD KY NTSD EXFL -- Simulation dates / EXAMS flag
   06 04 91 07 24 91 24 0
** JEM JED KMM KMD KHM KHD COVMAX IHFL -- Crop dates, canopy
   05 16 06 17 07 20 0.90 -1
** IDM IDD IRFLAG DIRR1 DIRR2 IRATE DOUT DR8MAX -- Irrigation & drainage
   3
   6 04 1 5.0 20.3 20.0 20.5 5.0
   6 28 0 5.0 20.3 20.0 20.5 5.0
   7 3 0 5.0 20.3 20.0 0. 5.0
** SA DMAX DLAKE SEEP DACT FC WP SM BD CSS
   32.4 21.0 20.5 0.02 5.0 .35 .24 .35 1.50 50.
** EVAPM(I),I=-1
   -8.00 8.00 8.00 10.00 12.00 13.00 13.00 12.00 11.00 10.00 8.00 8.00
** IAM IAD APP DINC APPEF DRIFT -- Appl. rates, efficiency, incorporation
   1
   06 05 1.12 0.00 1.00 0.0
** NCHEM NPATHS
   4 3
** CNAME CW0 CS0 CF0
"Parent" 0.0 0.0 0.0
"Metab-1" 0.0 0.0 0.0
"Metab-2" 0.0 0.0 0.0
"Metab-3" 0.0 0.0 0.0
** KWM KWH KWP KSW KSD KF WO KD VVOL VSETL VBIND VMIX SOLUB RREAC SNK BI-P
   .023 .000 .000 .023 .023 .023 0.2 15. 0.0 2.0 0.1 .001 1.E6 0.00 0.0 0
   .023 .000 .000 .023 .023 .023 0.2 15. 0.0 2.0 0.1 .001 1.E6 0.00 0.0 0
   .023 .000 .000 .023 .023 .023 0.2 15. 0.0 2.0 0.1 .001 1.E6 0.00 0.0 0
   .023 .000 .000 .023 .023 .023 0.2 15. 0.0 2.0 0.1 .001 1.E6 0.00 0.0 0
** PARENT DAUGHTER YWM YWH YWP YSW YSD YF YWM2 YWH2 YWP2 YSW2 YSD2 YF2 JDAT
   1 2 0.4 0.0 0.0 0.4 0.4 0.4
   1 3 0.2 0.0 0.0 0.2 0.2 0.2
   3 4 0.4 0.0 0.0 0.4 0.4 0.4
*** ENV CHM1 PRNT2 PRNT3 CHM2 NPROC2 RFORM2 YIELD2 CHN3 NPROC3 RFORM3 YIELD3
   8 5 1 0 6 7 1 70.00 0 0 0 00.00
*** END OF DATA

```

BATCH FILE USED TO RENAME FILES AND EXECUTE RUN: R.BAT

```
echo off
copy %1.inp ricewq.inp
copy %1.met ricewq.met
cls
ricel71.exe
copy ricewq.zzz %1.zzz
copy ricewq.zzh %1.zzh
copy ricewq.zzt %1.zzt
copy ricewq.zp0 %1.zp0
copy ricewq.zp1 %1.zp1
copy ricewq.zp2 %1.zp2
copy ricewq.zp3 %1.zp3
copy ricewq.zp4 %1.zp4
copy ricewq.zp5 %1.zp5
:pstrice.exe
:copy ricewq.dt1 %1.dt1
:copy ricewq.dt2 %1.dt2
del ricewq.inp
del ricewq.met
del ricewq.zz?
del ricewq.zp?
del ricewq.dt?
echo on
```

METEOROLOGICAL FILE: TEST173.MET

60391	0.000	0.524	28.900
60491	0.000	0.496	27.800
60591	0.965	0.496	27.600
60691	0.711	0.443	25.900
60791	0.000	0.443	25.200
60891	0.000	0.419	24.700
60991	0.076	0.419	24.400
61091	14.986	0.396	23.500
61191	0.203	0.469	26.100
61291	0.203	0.469	26.600
61391	0.254	0.469	26.600
61491	0.000	0.469	26.700
61591	0.000	0.469	26.700
61691	0.102	0.496	27.400
61791	0.000	0.496	27.600
61891	3.658	0.443	25.100
61991	0.000	0.469	26.100
62091	0.127	0.469	26.600
62191	0.000	0.496	27.200
62291	5.283	0.443	25.200
62391	0.025	0.469	26.800
62491	0.000	0.469	26.700
62591	0.000	0.469	26.600
62691	3.150	0.469	26.300
62791	0.838	0.443	25.800
62891	1.829	0.443	25.500
62991	0.025	0.496	27.200
63091	0.000	0.524	28.900
70191	2.286	0.554	28.500
70291	0.000	0.524	27.200
70391	0.000	0.496	26.900
70491	0.152	0.496	26.900
70591	1.651	0.469	25.500
70691	0.000	0.443	24.900
70791	0.914	0.469	25.300
70891	0.178	0.469	25.700
70991	2.007	0.469	25.000
71091	0.000	0.524	27.400
71191	0.000	0.554	28.000
71291	0.000	0.554	28.400
71391	0.000	0.554	28.400
71491	0.000	0.554	28.700
71591	3.175	0.496	26.900
71691	0.102	0.524	27.300
71791	0.000	0.524	27.900
71891	1.448	0.496	26.800
71991	0.254	0.524	27.100
72091	0.000	0.554	28.200
72191	0.025	0.524	27.400
72291	0.457	0.496	26.100
72391	0.025	0.496	26.900
72491	0.000	0.496	26.100

OUTPUT FILE WITH ECHO OF INPUT: TEST173.ZZZ

```
*****  
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **  
**          Metabolite Verison                             **  
**          RICEWQ Version 1.7.1                           **  
*****
```

FILE: RICEWQ.ZZZ

Simulation started: 5/23/ 3 18:31:27

TEST171.INP
Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

Date simulation begins = 6/ 4/91 (Julian day 155)
Date simulation ends = 7/24/91
Number of simulation time steps per day = 24

Emergence day of crop = 5/16 (Julian day 136)
Maturity day of crop = 6/17 (Julian day 168)
Harvest day of crop = 7/20 (Julian day 201)

Maximum coverage of crop = 0.90
Pesticide residues on foliage will be left alone and available for washoff (IHFL = -1).
Beginning 6/ 4 (Julian day 155) irrigation will be applied as necessary
 Depth at which irrigation will begin (cm) = 5.00
 Depth at which irrigation will cease (cm) = 20.30
 Maximum irrigation rate of paddy (cm/day) = 20.0
 Height of drainage outlet = 20.5
 Maximum drainage rate of paddy (cm/day) = 5.00
Beginning 6/28 (Julian day 179) irrigation will be prohibited.
 Height of drainage outlet = 20.5
 Maximum drainage rate of paddy (cm/day) = 5.00
Beginning 7/ 3 (Julian day 184) irrigation will be prohibited.
 Height of drainage outlet = 0.00
 Maximum drainage rate of paddy (cm/day) = 5.00

Surface area of paddy (ha) = 32.4
Depth of paddy outlet (cm) = 21.0
Initial depth of paddy (cm) = 20.5
Seepage rate of paddy (cm/day) = 0.200E-01
Depth of active sediment layer (cm) = 5.000
Field capacity of bed sediment = 0.3500
Wilting point of bed sediment = 0.2400
Initial soil moisture of bed sediment = 0.3500
Bulk density of bed sediment (g/cc) = 1.500
Porosity of bed sediment = 0.4340
Suspended sediment concentration (ppm) = 50.00

Evaporation will be read from meteorological file

1.120 kg/ha will be applied on 6/ 5 (Julian day 156)
Incorporation depth = 0.00 cm. Application efficiency = 1.120 kg/ha (100.00%)

Chemical name = Parent
Initial concentration in water (ppm) = 0.00
Initial concentration in sediment (mg/kg) = 0.00
Initial mass on foliage (mg/ha) = 0.00
Aqueous metabolism decay rate (1/day) = 0.2300E-01
Aqueous hydrolysis decay rate (1/day) = 0.000
Aqueous photolysis decay rate (1/day) = 0.000
Saturated sediment decay rate (1/day) = 0.2300E-01
Unsaturated sediment decay rate (1/day) = 0.2300E-01
Foliar decay rate coefficient (1/day) = 0.2300E-01
Washoff coefficient (fraction/cm rain) = 0.2000
Water-sediment partition coefficient, Kd (cc/g) = 15.00
Volatilization coefficient (m/day) = 0.000
Settling velocity (m/day) = 2.000
Coefficient for direct partition to sediment bed = 0.1000
Mixing velocity (diffusion) m/day = 0.1000E-02
Solubility (ppm) = 0.1000E+07
Slow release formulation rate (1/day) = 0.000
Direct transformation to innocuous, SNK (fraction) 0.000

Fraction of degraded compound transformed in water to chemical 2 = 0.4000
Fraction of degraded compound transformed in sediment to chemical 2 = 0.4000
Fraction of degraded compound transformed in sediment to chemical 2 = 0.4000
Fraction of degraded compound transformed in foliage to chemical 2 = 0.4000
Fraction of degraded compound transformed in water to chemical 3 = 0.2000
Fraction of degraded compound transformed in sediment to chemical 3 = 0.2000
Fraction of degraded compound transformed in sediment to chemical 3 = 0.2000
Fraction of degraded compound transformed in foliage to chemical 3 = 0.2000

Chemical name = Metab-1

Initial concentration in water (ppm) = 0.00
Initial concentration in sediment (mg/kg) = 0.00
Initial mass on foliage (mg/ha) = 0.00
Aqueous metabolism decay rate (1/day) = 0.2300E-01
Aqueous hydrolysis decay rate (1/day) = 0.000
Aqueous photolysis decay rate (1/day) = 0.000
Saturated sediment decay rate (1/day) = 0.2300E-01
Unsaturated sediment decay rate (1/day) = 0.2300E-01
Foliar decay rate coefficient (1/day) = 0.2300E-01
Washoff coefficient (fraction/cm rain) = 0.2000
Water-sediment partition coefficient, Kd (cc/g) = 15.00
Volatilization coefficient (m/day) = 0.000
Settling velocity (m/day) = 2.000
Coefficient for direct partition to sediment bed = 0.1000
Mixing velocity (diffusion) m/day) = 0.1000E-02
Solubility (ppm) = 0.1000E+07

Chemical name = Metab-2

Initial concentration in water (ppm) = 0.00
Initial concentration in sediment (mg/kg) = 0.00
Initial mass on foliage (mg/ha) = 0.00
Aqueous metabolism decay rate (1/day) = 0.2300E-01
Aqueous hydrolysis decay rate (1/day) = 0.000
Aqueous photolysis decay rate (1/day) = 0.000
Saturated sediment decay rate (1/day) = 0.2300E-01
Unsaturated sediment decay rate (1/day) = 0.2300E-01
Foliar decay rate coefficient (1/day) = 0.2300E-01
Washoff coefficient (fraction/cm rain) = 0.2000
Water-sediment partition coefficient, Kd (cc/g) = 15.00
Volatilization coefficient (m/day) = 0.000
Settling velocity (m/day) = 2.000
Coefficient for direct partition to sediment bed = 0.1000
Mixing velocity (diffusion) m/day) = 0.1000E-02
Solubility (ppm) = 0.1000E+07

Fraction of degraded compound transformed in water to chemical 4 = 0.4000
Fraction of degraded compound transformed in sediment to chemical 4 = 0.4000
Fraction of degraded compound transformed in sediment to chemical 4 = 0.4000
Fraction of degraded compound transformed in foliage to chemical 4 = 0.4000

Chemical name = Metab-3

Initial concentration in water (ppm) = 0.00
Initial concentration in sediment (mg/kg) = 0.00
Initial mass on foliage (mg/ha) = 0.00
Aqueous metabolism decay rate (1/day) = 0.2300E-01
Aqueous hydrolysis decay rate (1/day) = 0.000
Aqueous photolysis decay rate (1/day) = 0.000
Saturated sediment decay rate (1/day) = 0.2300E-01
Unsaturated sediment decay rate (1/day) = 0.2300E-01
Foliar decay rate coefficient (1/day) = 0.2300E-01
Washoff coefficient (fraction/cm rain) = 0.2000
Water-sediment partition coefficient, Kd (cc/g) = 15.00
Volatilization coefficient (m/day) = 0.000
Settling velocity (m/day) = 2.000
Coefficient for direct partition to sediment bed = 0.1000
Mixing velocity (diffusion) m/day) = 0.1000E-02
Solubility (ppm) = 0.1000E+07

Application occurred on 6/ 5/1991 (Julian day 156)

RICEWQ TERMINATED PROPERLY

OUTPUT FILE WITH HYDROLOGIC SUMMARY: TEST173.ZZH

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                             **
**          RICEWQ Version 1.7.3                          **
*****
```

FILE: RICEWQ.ZZH

Simulation started: 5/23/ 3 18:31:27

TEST173.INP
Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

DATE	PRECIP (cm)	EVAP (cm)	SEEP (cm)	SEEPS (cm)	IRRIG	IRRIG (cm)	THETA (cm)	DEPTH (cm)	QOUT (m ³)
6/ 4/91	0.00	0.50	0.02	0.02	1	0.00	0.35	19.98	0.0000E+00
6/ 5/91	0.96	0.50	0.02	0.02	1	0.00	0.35	20.43	0.0000E+00
6/ 6/91	0.71	0.44	0.02	0.02	1	0.00	0.35	20.50	0.5864E+03
6/ 7/91	0.00	0.44	0.02	0.02	1	0.00	0.35	20.04	0.0000E+00
6/ 8/91	0.00	0.42	0.02	0.02	1	0.00	0.35	19.60	0.0000E+00
6/ 9/91	0.08	0.42	0.02	0.02	1	0.00	0.35	19.23	0.0000E+00
6/10/91	14.99	0.40	0.02	0.02	1	0.00	0.35	20.79	0.4216E+05
6/11/91	0.20	0.47	0.02	0.02	1	0.00	0.35	20.24	0.8678E+03
6/12/91	0.20	0.47	0.02	0.02	1	0.00	0.35	19.95	0.0000E+00
6/13/91	0.25	0.47	0.02	0.02	1	0.00	0.35	19.72	0.0000E+00
6/14/91	0.00	0.47	0.02	0.02	1	0.00	0.35	19.23	0.0000E+00
6/15/91	0.00	0.47	0.02	0.02	1	0.00	0.35	18.74	0.0000E+00
6/16/91	0.10	0.50	0.02	0.02	1	0.00	0.35	18.32	0.0000E+00
6/17/91	0.00	0.50	0.02	0.02	1	0.00	0.35	17.81	0.0000E+00
6/18/91	3.66	0.44	0.02	0.02	1	0.00	0.35	20.50	0.1632E+04
6/19/91	0.00	0.47	0.02	0.02	1	0.00	0.35	20.01	0.0000E+00
6/20/91	0.13	0.47	0.02	0.02	1	0.00	0.35	19.65	0.0000E+00
6/21/91	0.00	0.50	0.02	0.02	1	0.00	0.35	19.13	0.0000E+00
6/22/91	5.28	0.44	0.02	0.02	1	0.00	0.35	20.50	0.1119E+05
6/23/91	0.03	0.47	0.02	0.02	1	0.00	0.35	20.04	0.0000E+00
6/24/91	0.00	0.47	0.02	0.02	1	0.00	0.35	19.55	0.0000E+00
6/25/91	0.00	0.47	0.02	0.02	1	0.00	0.35	19.06	0.0000E+00
6/26/91	3.15	0.47	0.02	0.02	1	0.00	0.35	20.50	0.3949E+04
6/27/91	0.84	0.44	0.02	0.02	1	0.00	0.35	20.50	0.1215E+04
6/28/91	1.83	0.44	0.02	0.02	0	0.00	0.35	20.50	0.4426E+04
6/29/91	0.03	0.50	0.02	0.02	0	0.00	0.35	20.01	0.0000E+00
6/30/91	0.00	0.52	0.02	0.02	0	0.00	0.35	19.46	0.0000E+00
7/ 1/91	2.29	0.55	0.02	0.02	0	0.00	0.35	20.50	0.2193E+04
7/ 2/91	0.00	0.52	0.02	0.02	0	0.00	0.35	19.96	0.0000E+00
7/ 3/91	0.00	0.50	0.02	0.02	0	0.00	0.35	14.44	0.1620E+05
7/ 4/91	0.15	0.50	0.02	0.02	0	0.00	0.35	9.08	0.1620E+05
7/ 5/91	1.65	0.47	0.02	0.02	0	0.00	0.35	5.24	0.1620E+05
7/ 6/91	0.00	0.44	0.02	0.02	0	0.00	0.35	0.00	0.1553E+05
7/ 7/91	0.91	0.47	0.02	0.00	0	0.00	0.35	0.00	0.1377E+04
7/ 8/91	0.18	0.47	0.01	0.00	0	0.00	0.29	0.00	0.0000E+00
7/ 9/91	2.01	0.47	0.02	0.00	0	0.00	0.29	0.00	0.4918E+04
7/10/91	0.00	0.27	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/11/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/12/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/13/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/14/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/15/91	3.17	0.50	0.02	0.00	0	0.00	0.24	0.00	0.8615E+04
7/16/91	0.10	0.12	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/17/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/18/91	1.45	0.50	0.02	0.00	0	0.00	0.24	0.00	0.3020E+04
7/19/91	0.25	0.26	0.01	0.00	0	0.00	0.24	0.00	0.0000E+00
7/20/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/21/91	0.03	0.02	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/22/91	0.46	0.44	0.02	0.00	0	0.00	0.24	0.00	0.0000E+00
7/23/91	0.03	0.02	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00
7/24/91	0.00	0.00	0.00	0.00	0	0.00	0.24	0.00	0.0000E+00

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP0

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                            **
**          RICEWQ Version 1.7.3                          **
*****
```

FILE: RICEWQ.ZP0

Simulation started: 5/23/ 3 18:31:28

TEST173.INP

Hypothetical simulation of RICEWQ Version 1.7.3

Four chemicals

Pesticide Mass (mg)

	1 Parent			2 Metab-1			3 Metab-2			4 Metab-3		
	Water	Sediment	Foliage	Water	Sediment	Foliage	Water	Sediment	Foliage	Water	Sediment	Foliage
6/ 4/19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 5/19	0.170E+08	0.200E+07	0.164E+08	0.158E+06	0.185E+05	0.150E+06	0.788E+05	0.924E+04	0.750E+05	0.380E+03	0.445E+02	0.356E+03
6/ 6/19	0.166E+08	0.398E+07	0.139E+08	0.307E+06	0.733E+05	0.255E+06	0.153E+06	0.367E+05	0.127E+06	0.145E+04	0.345E+03	0.119E+04
6/ 7/19	0.143E+08	0.578E+07	0.136E+08	0.396E+06	0.160E+06	0.374E+06	0.198E+06	0.799E+05	0.187E+06	0.278E+04	0.112E+04	0.260E+04
6/ 8/19	0.123E+08	0.731E+07	0.133E+08	0.455E+06	0.269E+06	0.488E+06	0.227E+06	0.135E+06	0.244E+06	0.424E+04	0.251E+04	0.452E+04
6/ 9/19	0.108E+08	0.861E+07	0.128E+08	0.497E+06	0.397E+06	0.588E+06	0.248E+06	0.198E+06	0.294E+06	0.577E+04	0.460E+04	0.679E+04
6/10/19	0.138E+08	0.979E+07	0.625E+06	0.761E+06	0.541E+06	0.337E+05	0.381E+06	0.270E+06	0.169E+05	0.106E+05	0.752E+04	0.458E+03
6/11/19	0.118E+08	0.111E+08	0.587E+06	0.760E+06	0.715E+06	0.370E+05	0.380E+06	0.357E+06	0.185E+05	0.123E+05	0.116E+05	0.588E+03
6/12/19	0.102E+08	0.122E+08	0.551E+06	0.752E+06	0.897E+06	0.398E+05	0.376E+06	0.448E+06	0.199E+05	0.139E+05	0.166E+05	0.724E+03
6/13/19	0.885E+07	0.131E+08	0.511E+06	0.732E+06	0.108E+07	0.417E+05	0.366E+06	0.541E+06	0.208E+05	0.152E+05	0.225E+05	0.853E+03
6/14/19	0.762E+07	0.138E+08	0.500E+06	0.700E+06	0.127E+07	0.453E+05	0.350E+06	0.635E+06	0.227E+05	0.162E+05	0.293E+05	0.103E+04
6/15/19	0.654E+07	0.144E+08	0.488E+06	0.661E+06	0.146E+07	0.488E+05	0.331E+06	0.728E+06	0.244E+05	0.168E+05	0.370E+05	0.122E+04
6/16/19	0.561E+07	0.149E+08	0.468E+06	0.619E+06	0.164E+07	0.510E+05	0.309E+06	0.820E+06	0.255E+05	0.171E+05	0.454E+05	0.140E+04
6/17/19	0.479E+07	0.152E+08	0.457E+06	0.572E+06	0.182E+07	0.541E+05	0.286E+06	0.909E+06	0.270E+05	0.172E+05	0.545E+05	0.160E+04
6/18/19	0.430E+07	0.154E+08	0.215E+06	0.553E+06	0.198E+07	0.273E+05	0.276E+06	0.990E+06	0.137E+05	0.178E+05	0.639E+05	0.872E+03
6/19/19	0.373E+07	0.155E+08	0.210E+06	0.514E+06	0.214E+07	0.286E+05	0.257E+06	0.107E+07	0.143E+05	0.178E+05	0.739E+05	0.979E+03
6/20/19	0.324E+07	0.155E+08	0.200E+06	0.476E+06	0.229E+07	0.291E+05	0.238E+06	0.114E+07	0.146E+05	0.176E+05	0.844E+05	0.106E+04
6/21/19	0.280E+07	0.155E+08	0.196E+06	0.438E+06	0.243E+07	0.303E+05	0.219E+06	0.122E+07	0.151E+05	0.171E+05	0.952E+05	0.117E+04
6/22/19	0.224E+07	0.154E+08	0.664E+05	0.370E+06	0.256E+07	0.109E+05	0.185E+06	0.128E+07	0.543E+04	0.153E+05	0.106E+06	0.445E+03
6/23/19	0.196E+07	0.153E+08	0.646E+05	0.342E+06	0.268E+07	0.112E+05	0.171E+06	0.134E+07	0.558E+04	0.149E+05	0.117E+06	0.483E+03
6/24/19	0.171E+07	0.152E+08	0.631E+05	0.314E+06	0.279E+07	0.115E+05	0.157E+06	0.140E+07	0.574E+04	0.144E+05	0.129E+06	0.524E+03
6/25/19	0.149E+07	0.150E+08	0.617E+05	0.287E+06	0.290E+07	0.118E+05	0.143E+06	0.145E+07	0.590E+04	0.139E+05	0.140E+06	0.565E+03
6/26/19	0.127E+07	0.148E+08	0.321E+05	0.257E+06	0.300E+07	0.643E+04	0.128E+06	0.150E+07	0.321E+04	0.130E+05	0.152E+06	0.322E+03

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP1

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                             **
**          RICEWQ Version 1.7.3                           **
*****
```

FILE: RICEWQ.ZP1

Simulation started: 5/23/ 3 18:31:28

TEST173.INP

Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

Mass Balance Summary for Chemical 1 Parent

DATE	PWAP (mg)	PSAP (mg)	PFAP (mg)	PSSR (mg)	WO (mg)	DECAYW (mg)	DECAYS (mg)	DECAYF (mg)	VOLAT (mg)	SETL (mg)	BIND (mg)	SEEP (mg)
6/ 4/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 5/91	0.159E+08	0.000E+00	0.204E+08	0.000E+00	0.354E+07	0.383E+06	0.220E+05	0.421E+06	0.000E+00	0.121E+06	0.181E+07	0.160E+05
6/ 6/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.216E+07	0.390E+06	0.680E+05	0.348E+06	0.000E+00	0.122E+06	0.183E+07	0.162E+05
6/ 7/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.356E+06	0.112E+06	0.317E+06	0.000E+00	0.114E+06	0.172E+07	0.152E+05
6/ 8/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.307E+06	0.150E+06	0.310E+06	0.000E+00	0.101E+06	0.151E+07	0.134E+05
6/ 9/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.199E+06	0.266E+06	0.183E+06	0.300E+06	0.000E+00	0.892E+05	0.134E+07	0.118E+05
6/10/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.121E+08	0.361E+06	0.211E+06	0.872E+05	0.000E+00	0.836E+05	0.125E+07	0.111E+05
6/11/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.246E+05	0.293E+06	0.240E+06	0.139E+05	0.000E+00	0.932E+05	0.140E+07	0.124E+05
6/12/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.231E+05	0.254E+06	0.267E+06	0.131E+05	0.000E+00	0.819E+05	0.123E+07	0.109E+05
6/13/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.270E+05	0.220E+06	0.290E+06	0.122E+05	0.000E+00	0.717E+05	0.108E+07	0.951E+04
6/14/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.190E+06	0.309E+06	0.116E+05	0.000E+00	0.634E+05	0.951E+06	0.841E+04
6/15/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.163E+06	0.324E+06	0.114E+05	0.000E+00	0.559E+05	0.839E+06	0.742E+04
6/16/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.976E+04	0.140E+06	0.336E+06	0.110E+05	0.000E+00	0.490E+05	0.735E+06	0.650E+04
6/17/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.120E+06	0.345E+06	0.106E+05	0.000E+00	0.432E+05	0.647E+06	0.572E+04
6/18/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.235E+06	0.106E+06	0.352E+06	0.727E+04	0.000E+00	0.327E+05	0.491E+06	0.434E+04
6/19/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.924E+05	0.355E+06	0.489E+04	0.000E+00	0.297E+05	0.446E+06	0.394E+04
6/20/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.521E+04	0.802E+05	0.357E+06	0.471E+04	0.000E+00	0.263E+05	0.394E+06	0.349E+04
6/21/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.696E+05	0.357E+06	0.455E+04	0.000E+00	0.234E+05	0.351E+06	0.310E+04
6/22/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.126E+06	0.595E+05	0.356E+06	0.269E+04	0.000E+00	0.169E+05	0.254E+06	0.225E+04
6/23/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.328E+03	0.483E+05	0.354E+06	0.151E+04	0.000E+00	0.155E+05	0.233E+06	0.206E+04
6/24/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.422E+05	0.351E+06	0.147E+04	0.000E+00	0.139E+05	0.208E+06	0.184E+04
6/25/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.368E+05	0.347E+06	0.144E+04	0.000E+00	0.124E+05	0.186E+06	0.165E+04
6/26/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.286E+05	0.322E+05	0.343E+06	0.103E+04	0.000E+00	0.971E+04	0.146E+06	0.129E+04
6/27/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.490E+04	0.274E+05	0.338E+06	0.670E+03	0.000E+00	0.854E+04	0.128E+06	0.113E+04
6/28/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.805E+04	0.235E+05	0.333E+06	0.502E+03	0.000E+00	0.715E+04	0.107E+06	0.950E+03
6/29/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.888E+02	0.203E+05	0.327E+06	0.408E+03	0.000E+00	0.651E+04	0.977E+05	0.865E+03
6/30/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.180E+05	0.321E+06	0.398E+03	0.000E+00	0.593E+04	0.889E+05	0.787E+03
7/ 1/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.621E+04	0.160E+05	0.316E+06	0.309E+03	0.000E+00	0.489E+04	0.734E+05	0.650E+03
7/ 2/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.140E+05	0.310E+06	0.240E+03	0.000E+00	0.452E+04	0.678E+05	0.601E+03
7/ 3/91	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.110E+05	0.304E+06	0.235E+03	0.000E+00	0.416E+04	0.624E+05	0.552E+03

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP1 (Continued)

SEEPS (mg)	RESUS (mg)	DIFUS (mg)	PF (mg)	PW1 (mg)	PS1 (mg)	CPW (mg/l)	CPS (mg/kg)
0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0.181E+03	0.125E+04	-0.800E+05	0.164E+08	0.170E+08	0.200E+07	0.257E+00	0.824E-01
0.530E+03	0.387E+04	-0.801E+05	0.139E+08	0.166E+08	0.398E+07	0.250E+00	0.164E+00
0.861E+03	0.636E+04	-0.744E+05	0.136E+08	0.143E+08	0.578E+07	0.221E+00	0.238E+00
0.115E+04	0.854E+04	-0.648E+05	0.133E+08	0.123E+08	0.731E+07	0.194E+00	0.301E+00
0.140E+04	0.104E+05	-0.564E+05	0.128E+08	0.108E+08	0.861E+07	0.173E+00	0.354E+00
0.161E+04	0.120E+05	-0.522E+05	0.625E+06	0.138E+08	0.979E+07	0.205E+00	0.403E+00
0.183E+04	0.136E+05	-0.582E+05	0.587E+06	0.118E+08	0.111E+08	0.180E+00	0.456E+00
0.204E+04	0.152E+05	-0.502E+05	0.551E+06	0.102E+08	0.122E+08	0.158E+00	0.501E+00
0.221E+04	0.165E+05	-0.430E+05	0.511E+06	0.885E+07	0.131E+08	0.139E+00	0.538E+00
0.235E+04	0.176E+05	-0.372E+05	0.500E+06	0.762E+07	0.138E+08	0.122E+00	0.568E+00
0.246E+04	0.184E+05	-0.320E+05	0.488E+06	0.654E+07	0.144E+08	0.108E+00	0.592E+00
0.255E+04	0.191E+05	-0.272E+05	0.468E+06	0.561E+07	0.149E+08	0.945E-01	0.611E+00
0.262E+04	0.197E+05	-0.231E+05	0.457E+06	0.479E+07	0.152E+08	0.830E-01	0.626E+00
0.267E+04	0.200E+05	-0.160E+05	0.215E+06	0.430E+07	0.154E+08	0.647E-01	0.633E+00
0.269E+04	0.202E+05	-0.140E+05	0.210E+06	0.373E+07	0.155E+08	0.575E-01	0.637E+00
0.271E+04	0.203E+05	-0.116E+05	0.200E+06	0.324E+07	0.155E+08	0.509E-01	0.640E+00
0.271E+04	0.203E+05	-0.970E+04	0.196E+06	0.280E+07	0.155E+08	0.452E-01	0.640E+00
0.270E+04	0.203E+05	-0.543E+05	0.664E+05	0.224E+07	0.154E+08	0.337E-01	0.636E+00
0.268E+04	0.201E+05	-0.452E+04	0.646E+05	0.196E+07	0.153E+08	0.301E-01	0.631E+00
0.266E+04	0.200E+05	-0.348E+04	0.631E+05	0.171E+07	0.152E+08	0.269E-01	0.625E+00
0.263E+04	0.198E+05	-0.256E+05	0.617E+05	0.149E+07	0.150E+08	0.241E-01	0.618E+00
0.260E+04	0.195E+05	-0.831E+03	0.321E+05	0.127E+07	0.148E+08	0.191E-01	0.609E+00
0.256E+04	0.192E+05	-0.128E+03	0.265E+05	0.111E+07	0.146E+08	0.167E-01	0.600E+00
0.252E+04	0.189E+05	0.708E+03	0.180E+05	0.933E+06	0.143E+08	0.140E-01	0.590E+00
0.248E+04	0.186E+05	0.104E+04	0.175E+05	0.827E+06	0.141E+08	0.128E-01	0.580E+00
0.244E+04	0.183E+05	0.134E+04	0.171E+05	0.733E+06	0.139E+08	0.116E-01	0.570E+00
0.239E+04	0.180E+05	0.193E+04	0.106E+05	0.643E+06	0.136E+08	0.969E-02	0.559E+00
0.235E+04	0.176E+05	0.208E+04	0.103E+05	0.576E+06	0.133E+08	0.891E-02	0.549E+00
0.230E+04	0.173E+05	0.223E+04	0.101E+05	0.380E+06	0.131E+08	0.811E-02	0.538E+00
0.226E+04	0.169E+05	0.243E+04	0.958E+04	0.210E+06	0.128E+08	0.713E-02	0.527E+00
0.221E+04	0.166E+05	0.296E+04	0.673E+04	0.924E+05	0.125E+08	0.544E-02	0.516E+00
0.207E+04	0.162E+05	0.318E+04	0.657E+04	0.000E+00	0.123E+08	0.000E+00	0.505E+00
0.422E+03	0.159E+05	0.459E+04	0.535E+04	0.000E+00	0.120E+08	0.000E+00	0.494E+00
0.000E+00	0.155E+05	0.448E+04	0.505E+04	0.000E+00	0.117E+08	0.000E+00	0.483E+00
0.000E+00	0.152E+05	0.438E+04	0.330E+04	0.000E+00	0.115E+08	0.000E+00	0.472E+00
0.000E+00	0.000E+00	0.000E+00	0.323E+04	0.000E+00	0.112E+08	0.000E+00	0.461E+00
0.000E+00	0.000E+00	0.000E+00	0.315E+04	0.000E+00	0.109E+08	0.000E+00	0.450E+00
0.000E+00	0.000E+00	0.000E+00	0.308E+04	0.000E+00	0.107E+08	0.000E+00	0.440E+00
0.000E+00	0.000E+00	0.000E+00	0.301E+04	0.000E+00	0.105E+08	0.000E+00	0.430E+00
0.000E+00	0.000E+00	0.000E+00	0.294E+04	0.000E+00	0.102E+08	0.000E+00	0.420E+00
0.000E+00	0.132E+05	0.382E+04	0.152E+04	0.000E+00	0.998E+07	0.000E+00	0.411E+00
0.000E+00	0.129E+05	0.373E+04	0.146E+04	0.000E+00	0.976E+07	0.000E+00	0.402E+00
0.000E+00	0.000E+00	0.000E+00	0.143E+04	0.000E+00	0.954E+07	0.000E+00	0.392E+00
0.000E+00	0.123E+05	0.357E+04	0.104E+04	0.000E+00	0.932E+07	0.000E+00	0.383E+00

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP2

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                             **
**          RICEWQ Version 1.7.3                          **
*****
```

FILE: RICEWQ.ZP2

Simulation started: 5/23/ 3 18:31:28

TEST173.INP

Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

Mass Balance Summary for Chemical 2 Metab-1

DATE	PWAP (mg)	PSAP (mg)	PFAP (mg)	PSSR (mg)	WO (mg)	DECAYW (mg)	DECAYS (mg)	DECAYF (mg)	VOLAT (mg)	SETL (mg)	BIND (mg)	SEEP (mg)
6/ 4/91					0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 5/91					0.163E+05	0.187E+04	0.141E+03	0.193E+04	0.000E+00	0.586E+03	0.880E+04	0.778E+02
6/ 6/91					0.297E+05	0.547E+04	0.989E+03	0.478E+04	0.000E+00	0.171E+04	0.257E+05	0.227E+03
6/ 7/91					0.000E+00	0.824E+04	0.263E+04	0.730E+04	0.000E+00	0.265E+04	0.398E+05	0.352E+03
6/ 8/91					0.000E+00	0.993E+04	0.490E+04	0.998E+04	0.000E+00	0.327E+04	0.490E+05	0.433E+03
6/ 9/91					0.823E+04	0.111E+05	0.763E+04	0.124E+05	0.000E+00	0.371E+04	0.556E+05	0.492E+03
6/10/91					0.584E+06	0.184E+05	0.107E+05	0.421E+04	0.000E+00	0.425E+04	0.637E+05	0.564E+03
6/11/91					0.144E+04	0.175E+05	0.144E+05	0.817E+03	0.000E+00	0.558E+04	0.836E+05	0.740E+03
6/12/91					0.157E+04	0.175E+05	0.185E+05	0.887E+03	0.000E+00	0.565E+04	0.848E+05	0.749E+03
6/13/91					0.208E+04	0.172E+05	0.228E+05	0.940E+03	0.000E+00	0.561E+04	0.841E+05	0.744E+03
6/14/91					0.000E+00	0.166E+05	0.271E+05	0.100E+04	0.000E+00	0.555E+04	0.832E+05	0.735E+03
6/15/91					0.000E+00	0.157E+05	0.314E+05	0.108E+04	0.000E+00	0.540E+04	0.811E+05	0.716E+03
6/16/91					0.102E+04	0.148E+05	0.356E+05	0.115E+04	0.000E+00	0.519E+04	0.778E+05	0.688E+03
6/17/91					0.000E+00	0.138E+05	0.398E+05	0.121E+04	0.000E+00	0.496E+04	0.745E+05	0.658E+03
6/18/91					0.287E+05	0.132E+05	0.437E+05	0.889E+03	0.000E+00	0.406E+04	0.609E+05	0.539E+03
6/19/91					0.000E+00	0.123E+05	0.474E+05	0.645E+03	0.000E+00	0.396E+04	0.594E+05	0.526E+03
6/20/91					0.735E+03	0.114E+05	0.509E+05	0.665E+03	0.000E+00	0.375E+04	0.562E+05	0.497E+03
6/21/91					0.000E+00	0.106E+05	0.543E+05	0.684E+03	0.000E+00	0.355E+04	0.532E+05	0.470E+03
6/22/91					0.200E+05	0.957E+04	0.574E+05	0.427E+03	0.000E+00	0.272E+04	0.409E+05	0.362E+03
6/23/91					0.552E+02	0.821E+04	0.603E+05	0.254E+03	0.000E+00	0.264E+04	0.396E+05	0.350E+03
6/24/91					0.000E+00	0.756E+04	0.630E+05	0.261E+03	0.000E+00	0.249E+04	0.373E+05	0.330E+03
6/25/91					0.000E+00	0.693E+04	0.655E+05	0.268E+03	0.000E+00	0.234E+04	0.351E+05	0.310E+03
6/26/91					0.558E+04	0.637E+04	0.679E+05	0.201E+03	0.000E+00	0.192E+04	0.288E+05	0.255E+03
6/27/91					0.100E+04	0.566E+04	0.700E+05	0.137E+03	0.000E+00	0.177E+04	0.265E+05	0.234E+03
6/28/91					0.172E+04	0.507E+04	0.719E+05	0.107E+03	0.000E+00	0.155E+04	0.232E+05	0.205E+03
6/29/91					0.198E+02	0.456E+04	0.737E+05	0.910E+02	0.000E+00	0.147E+04	0.220E+05	0.195E+03
6/30/91					0.000E+00	0.421E+04	0.754E+05	0.924E+02	0.000E+00	0.139E+04	0.209E+05	0.185E+03
7/ 1/91					0.150E+04	0.390E+04	0.770E+05	0.745E+02	0.000E+00	0.119E+04	0.179E+05	0.158E+03
7/ 2/91					0.000E+00	0.355E+04	0.784E+05	0.602E+02	0.000E+00	0.114E+04	0.172E+05	0.152E+03

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP2 (Continued)

SEEPS (mg)	RESUS (mg)	DIFUS (mg)	PF (mg)	PW (mg)	PS (mg)	CPW (mg/l)	CPS (mg/kg)
0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0.114E+01	0.803E+01	-0.389E+03	0.150E+06	0.158E+06	0.185E+05	0.238E-02	0.761E-03
0.770E+01	0.563E+02	-0.112E+04	0.255E+06	0.307E+06	0.733E+05	0.462E-02	0.302E-02
0.203E+02	0.150E+03	-0.172E+04	0.374E+06	0.396E+06	0.160E+06	0.611E-02	0.657E-02
0.375E+02	0.279E+03	-0.210E+04	0.488E+06	0.455E+06	0.269E+06	0.716E-02	0.111E-01
0.583E+02	0.434E+03	-0.235E+04	0.588E+06	0.497E+06	0.397E+06	0.797E-02	0.163E-01
0.819E+02	0.612E+03	-0.265E+04	0.337E+05	0.761E+06	0.541E+06	0.113E-01	0.222E-01
0.110E+03	0.820E+03	-0.348E+04	0.370E+05	0.760E+06	0.715E+06	0.116E-01	0.294E-01
0.141E+03	0.105E+04	-0.346E+04	0.398E+05	0.752E+06	0.897E+06	0.116E-01	0.369E-01
0.173E+03	0.130E+04	-0.336E+04	0.417E+05	0.732E+06	0.108E+07	0.115E-01	0.445E-01
0.206E+03	0.154E+04	-0.325E+04	0.453E+05	0.700E+06	0.127E+07	0.112E-01	0.522E-01
0.238E+03	0.178E+04	-0.309E+04	0.488E+05	0.661E+06	0.146E+07	0.109E-01	0.599E-01
0.271E+03	0.203E+04	-0.287E+04	0.510E+05	0.619E+06	0.164E+07	0.104E-01	0.675E-01
0.302E+03	0.226E+04	-0.265E+04	0.541E+05	0.572E+06	0.182E+07	0.992E-02	0.748E-01
0.332E+03	0.249E+04	-0.199E+04	0.273E+05	0.553E+06	0.198E+07	0.832E-02	0.815E-01
0.359E+03	0.270E+04	-0.186E+04	0.286E+05	0.514E+06	0.214E+07	0.793E-02	0.879E-01
0.386E+03	0.290E+04	-0.166E+04	0.291E+05	0.476E+06	0.229E+07	0.748E-02	0.941E-01
0.412E+03	0.309E+04	-0.147E+04	0.303E+05	0.438E+06	0.243E+07	0.707E-02	0.100E+00
0.436E+03	0.327E+04	-0.870E+03	0.109E+05	0.370E+06	0.256E+07	0.557E-02	0.105E+00
0.457E+03	0.343E+04	-0.767E+03	0.112E+05	0.342E+06	0.268E+07	0.526E-02	0.110E+00
0.477E+03	0.358E+04	-0.623E+03	0.115E+05	0.314E+06	0.279E+07	0.495E-02	0.115E+00
0.497E+03	0.373E+04	-0.481E+03	0.118E+05	0.287E+06	0.290E+07	0.465E-02	0.119E+00
0.514E+03	0.386E+04	-0.162E+03	0.643E+04	0.257E+06	0.300E+07	0.387E-02	0.123E+00
0.530E+03	0.398E+04	-0.250E+02	0.555E+04	0.234E+06	0.308E+07	0.353E-02	0.127E+00
0.545E+03	0.409E+04	0.154E+03	0.393E+04	0.206E+06	0.317E+07	0.310E-02	0.130E+00
0.559E+03	0.420E+04	0.236E+03	0.398E+04	0.190E+06	0.324E+07	0.293E-02	0.133E+00
0.572E+03	0.429E+04	0.315E+03	0.405E+04	0.175E+06	0.331E+07	0.278E-02	0.136E+00
0.583E+03	0.438E+04	0.472E+03	0.260E+04	0.160E+06	0.338E+07	0.240E-02	0.139E+00
0.594E+03	0.446E+04	0.528E+03	0.263E+04	0.148E+06	0.343E+07	0.229E-02	0.141E+00
0.604E+03	0.453E+04	0.585E+03	0.267E+04	0.101E+06	0.349E+07	0.216E-02	0.144E+00
0.612E+03	0.460E+04	0.660E+03	0.262E+04	0.578E+05	0.354E+07	0.196E-02	0.146E+00
0.620E+03	0.466E+04	0.832E+03	0.190E+04	0.263E+05	0.358E+07	0.155E-02	0.147E+00
0.601E+03	0.471E+04	0.922E+03	0.192E+04	0.000E+00	0.361E+07	0.000E+00	0.149E+00
0.128E+03	0.475E+04	0.137E+04	0.161E+04	0.000E+00	0.364E+07	0.000E+00	0.150E+00
0.000E+00	0.479E+04	0.138E+04	0.156E+04	0.000E+00	0.367E+07	0.000E+00	0.151E+00
0.000E+00	0.482E+04	0.139E+04	0.105E+04	0.000E+00	0.369E+07	0.000E+00	0.152E+00
0.000E+00	0.000E+00	0.000E+00	0.106E+04	0.000E+00	0.371E+07	0.000E+00	0.153E+00
0.000E+00	0.000E+00	0.000E+00	0.106E+04	0.000E+00	0.372E+07	0.000E+00	0.153E+00
0.000E+00	0.000E+00	0.000E+00	0.107E+04	0.000E+00	0.374E+07	0.000E+00	0.154E+00
0.000E+00	0.000E+00	0.000E+00	0.107E+04	0.000E+00	0.375E+07	0.000E+00	0.154E+00
0.000E+00	0.000E+00	0.000E+00	0.107E+04	0.000E+00	0.376E+07	0.000E+00	0.155E+00
0.000E+00	0.492E+04	0.142E+04	0.570E+03	0.000E+00	0.376E+07	0.000E+00	0.155E+00
0.000E+00	0.493E+04	0.143E+04	0.559E+03	0.000E+00	0.377E+07	0.000E+00	0.155E+00
0.000E+00	0.000E+00	0.000E+00	0.559E+03	0.000E+00	0.377E+07	0.000E+00	0.155E+00

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP3

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                             **
**          RICEWQ Version 1.7.3                          **
*****
```

FILE: RICEWQ.ZP3

Simulation started: 5/23/ 3 18:31:28

TEST173.INP

Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

Mass Balance Summary for Chemical 3 Metab-2

DATE	PWAP (mg)	PSAP (mg)	PFAP (mg)	PSSR (mg)	WO (mg)	DECAYW (mg)	DECAYS (mg)	DECAYF (mg)	VOLAT (mg)	SETL (mg)	BIND (mg)	SEEP (mg)
6/ 4/91					0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 5/91					0.813E+04	0.933E+03	0.705E+02	0.964E+03	0.000E+00	0.293E+03	0.440E+04	0.389E+02
6/ 6/91					0.148E+05	0.274E+04	0.494E+03	0.239E+04	0.000E+00	0.856E+03	0.128E+05	0.113E+03
6/ 7/91					0.000E+00	0.412E+04	0.132E+04	0.365E+04	0.000E+00	0.133E+04	0.199E+05	0.176E+03
6/ 8/91					0.000E+00	0.496E+04	0.245E+04	0.499E+04	0.000E+00	0.163E+04	0.245E+05	0.217E+03
6/ 9/91					0.411E+04	0.553E+04	0.382E+04	0.622E+04	0.000E+00	0.185E+04	0.278E+05	0.246E+03
6/10/91					0.292E+06	0.918E+04	0.537E+04	0.210E+04	0.000E+00	0.212E+04	0.318E+05	0.282E+03
6/11/91					0.722E+03	0.876E+04	0.721E+04	0.409E+03	0.000E+00	0.279E+04	0.418E+05	0.370E+03
6/12/91					0.784E+03	0.875E+04	0.926E+04	0.443E+03	0.000E+00	0.283E+04	0.424E+05	0.375E+03
6/13/91					0.104E+04	0.859E+04	0.114E+05	0.470E+03	0.000E+00	0.280E+04	0.421E+05	0.372E+03
6/14/91					0.000E+00	0.828E+04	0.135E+05	0.502E+03	0.000E+00	0.277E+04	0.416E+05	0.368E+03
6/15/91					0.000E+00	0.787E+04	0.157E+05	0.542E+03	0.000E+00	0.270E+04	0.405E+05	0.358E+03
6/16/91					0.510E+03	0.740E+04	0.178E+05	0.575E+03	0.000E+00	0.259E+04	0.389E+05	0.344E+03
6/17/91					0.000E+00	0.688E+04	0.199E+05	0.605E+03	0.000E+00	0.248E+04	0.372E+05	0.329E+03
6/18/91					0.144E+05	0.658E+04	0.219E+05	0.445E+03	0.000E+00	0.203E+04	0.304E+05	0.269E+03
6/19/91					0.000E+00	0.616E+04	0.237E+05	0.322E+03	0.000E+00	0.198E+04	0.297E+05	0.263E+03
6/20/91					0.368E+03	0.572E+04	0.255E+05	0.333E+03	0.000E+00	0.187E+04	0.281E+05	0.248E+03
6/21/91					0.000E+00	0.528E+04	0.272E+05	0.342E+03	0.000E+00	0.177E+04	0.266E+05	0.235E+03
6/22/91					0.100E+05	0.479E+04	0.287E+05	0.213E+03	0.000E+00	0.136E+04	0.204E+05	0.181E+03
6/23/91					0.276E+02	0.411E+04	0.301E+05	0.127E+03	0.000E+00	0.132E+04	0.198E+05	0.175E+03
6/24/91					0.000E+00	0.378E+04	0.315E+05	0.130E+03	0.000E+00	0.124E+04	0.187E+05	0.165E+03
6/25/91					0.000E+00	0.346E+04	0.328E+05	0.134E+03	0.000E+00	0.117E+04	0.175E+05	0.155E+03
6/26/91					0.279E+04	0.319E+04	0.339E+05	0.100E+03	0.000E+00	0.960E+03	0.144E+05	0.127E+03
6/27/91					0.502E+03	0.283E+04	0.350E+05	0.686E+02	0.000E+00	0.883E+03	0.132E+05	0.117E+03
6/28/91					0.860E+03	0.254E+04	0.360E+05	0.536E+02	0.000E+00	0.773E+03	0.116E+05	0.103E+03
6/29/91					0.990E+01	0.228E+04	0.369E+05	0.455E+02	0.000E+00	0.734E+03	0.110E+05	0.974E+02
6/30/91					0.000E+00	0.210E+04	0.377E+05	0.462E+02	0.000E+00	0.695E+03	0.104E+05	0.923E+02
7/ 1/91					0.748E+03	0.195E+04	0.385E+05	0.373E+02	0.000E+00	0.596E+03	0.894E+04	0.792E+02
7/ 2/91					0.000E+00	0.177E+04	0.392E+05	0.301E+02	0.000E+00	0.572E+03	0.858E+04	0.759E+02
7/ 3/91					0.000E+00	0.144E+04	0.398E+05	0.305E+02	0.000E+00	0.545E+03	0.817E+04	0.723E+02

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP3 (Continued)

SEEPS (mg)	RESUS (mg)	DIFUS (mg)	PF (mg)	PW (mg)	PS (mg)	CPW (mg/l)	CPS (mg/kg)
0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0.570E+00	0.401E+01	-0.194E+03	0.750E+05	0.788E+05	0.924E+04	0.119E-02	0.380E-03
0.385E+01	0.281E+02	-0.562E+03	0.127E+06	0.153E+06	0.367E+05	0.231E-02	0.151E-02
0.101E+02	0.748E+02	-0.862E+03	0.187E+06	0.198E+06	0.799E+05	0.305E-02	0.329E-02
0.188E+02	0.139E+03	-0.105E+04	0.244E+06	0.227E+06	0.135E+06	0.358E-02	0.554E-02
0.291E+02	0.217E+03	-0.117E+04	0.294E+06	0.248E+06	0.198E+06	0.398E-02	0.816E-02
0.410E+02	0.306E+03	-0.133E+04	0.169E+05	0.381E+06	0.270E+06	0.565E-02	0.111E-01
0.550E+02	0.410E+03	-0.174E+04	0.185E+05	0.380E+06	0.357E+06	0.579E-02	0.147E-01
0.705E+02	0.527E+03	-0.173E+04	0.199E+05	0.376E+06	0.448E+06	0.582E-02	0.184E-01
0.866E+02	0.648E+03	-0.168E+04	0.208E+05	0.366E+06	0.541E+06	0.573E-02	0.223E-01
0.103E+03	0.770E+03	-0.163E+04	0.227E+05	0.350E+06	0.635E+06	0.562E-02	0.261E-01
0.119E+03	0.892E+03	-0.154E+04	0.244E+05	0.331E+06	0.728E+06	0.544E-02	0.300E-01
0.135E+03	0.101E+04	-0.144E+04	0.255E+05	0.309E+06	0.820E+06	0.521E-02	0.337E-01
0.151E+03	0.113E+04	-0.133E+04	0.270E+05	0.286E+06	0.909E+06	0.496E-02	0.374E-01
0.166E+03	0.124E+04	-0.993E+03	0.137E+05	0.276E+06	0.990E+06	0.416E-02	0.407E-01
0.180E+03	0.135E+04	-0.931E+03	0.143E+05	0.257E+06	0.107E+07	0.396E-02	0.440E-01
0.193E+03	0.145E+04	-0.830E+03	0.146E+05	0.238E+06	0.114E+07	0.374E-02	0.471E-01
0.206E+03	0.155E+04	-0.735E+03	0.151E+05	0.219E+06	0.122E+07	0.353E-02	0.500E-01
0.218E+03	0.163E+04	-0.435E+03	0.543E+04	0.185E+06	0.128E+07	0.279E-02	0.526E-01
0.228E+03	0.171E+04	-0.384E+03	0.558E+04	0.171E+06	0.134E+07	0.263E-02	0.551E-01
0.239E+03	0.179E+04	-0.311E+03	0.574E+04	0.157E+06	0.140E+07	0.248E-02	0.574E-01
0.248E+03	0.186E+04	-0.240E+03	0.590E+04	0.143E+06	0.145E+07	0.232E-02	0.597E-01
0.257E+03	0.193E+04	-0.812E+02	0.321E+04	0.128E+06	0.150E+07	0.193E-02	0.616E-01
0.265E+03	0.199E+04	-0.125E+02	0.278E+04	0.117E+06	0.154E+07	0.176E-02	0.635E-01
0.273E+03	0.205E+04	0.772E+02	0.196E+04	0.103E+06	0.158E+07	0.155E-02	0.651E-01
0.279E+03	0.210E+04	0.118E+03	0.199E+04	0.950E+05	0.162E+07	0.147E-02	0.667E-01
0.286E+03	0.215E+04	0.158E+03	0.202E+04	0.876E+05	0.166E+07	0.139E-02	0.682E-01
0.292E+03	0.219E+04	0.236E+03	0.130E+04	0.798E+05	0.169E+07	0.120E-02	0.694E-01
0.297E+03	0.223E+04	0.264E+03	0.132E+04	0.741E+05	0.172E+07	0.115E-02	0.706E-01
0.302E+03	0.227E+04	0.292E+03	0.133E+04	0.506E+05	0.174E+07	0.108E-02	0.718E-01
0.306E+03	0.230E+04	0.330E+03	0.131E+04	0.289E+05	0.177E+07	0.982E-03	0.728E-01
0.310E+03	0.233E+04	0.416E+03	0.950E+03	0.132E+05	0.179E+07	0.775E-03	0.736E-01
0.300E+03	0.235E+04	0.461E+03	0.958E+03	0.000E+00	0.181E+07	0.000E+00	0.743E-01
0.639E+02	0.238E+04	0.686E+03	0.804E+03	0.000E+00	0.182E+07	0.000E+00	0.749E-01
0.000E+00	0.239E+04	0.691E+03	0.782E+03	0.000E+00	0.183E+07	0.000E+00	0.754E-01
0.000E+00	0.241E+04	0.696E+03	0.526E+03	0.000E+00	0.184E+07	0.000E+00	0.759E-01
0.000E+00	0.000E+00	0.000E+00	0.529E+03	0.000E+00	0.185E+07	0.000E+00	0.763E-01
0.000E+00	0.000E+00	0.000E+00	0.532E+03	0.000E+00	0.186E+07	0.000E+00	0.766E-01
0.000E+00	0.000E+00	0.000E+00	0.534E+03	0.000E+00	0.187E+07	0.000E+00	0.769E-01
0.000E+00	0.000E+00	0.000E+00	0.535E+03	0.000E+00	0.187E+07	0.000E+00	0.771E-01
0.000E+00	0.000E+00	0.000E+00	0.537E+03	0.000E+00	0.188E+07	0.000E+00	0.773E-01
0.000E+00	0.246E+04	0.712E+03	0.285E+03	0.000E+00	0.188E+07	0.000E+00	0.774E-01
0.000E+00	0.247E+04	0.713E+03	0.279E+03	0.000E+00	0.188E+07	0.000E+00	0.775E-01
0.000E+00	0.000E+00	0.000E+00	0.280E+03	0.000E+00	0.189E+07	0.000E+00	0.776E-01
0.000E+00	0.247E+04	0.714E+03	0.209E+03	0.000E+00	0.188E+07	0.000E+00	0.776E-01

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST173.ZP4

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                             **
**          RICEWQ Version 1.7.3                          **
*****
```

FILE: RICEWQ.ZP4

Simulation started: 5/23/ 3 18:31:28

TEST173.INP
Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

Mass Balance Summary for Chemical 4 Metab-3

DATE	PWAP (mg)	PSAP (mg)	PFAP (mg)	PSSR (mg)	WO (mg)	DECAYW (mg)	DECAYS (mg)	DECAYF (mg)	VOLAT (mg)	SETL (mg)	BIND (mg)	SEEP (mg)
6/ 4/91					0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 5/91					0.263E+02	0.314E+01	0.265E+00	0.312E+01	0.000E+00	0.984E+00	0.148E+02	0.131E+00
6/ 6/91					0.109E+03	0.204E+02	0.381E+01	0.175E+02	0.000E+00	0.639E+01	0.958E+02	0.847E+00
6/ 7/91					0.000E+00	0.491E+02	0.159E+02	0.433E+02	0.000E+00	0.158E+02	0.237E+03	0.210E+01
6/ 8/91					0.000E+00	0.818E+02	0.407E+02	0.819E+02	0.000E+00	0.269E+02	0.404E+03	0.357E+01
6/ 9/91					0.863E+02	0.116E+03	0.808E+02	0.130E+03	0.000E+00	0.391E+02	0.586E+03	0.518E+01
6/10/91					0.712E+04	0.236E+03	0.138E+03	0.513E+02	0.000E+00	0.545E+02	0.817E+03	0.723E+01
6/11/91					0.214E+02	0.264E+03	0.219E+03	0.121E+02	0.000E+00	0.841E+02	0.126E+04	0.112E+02
6/12/91					0.268E+02	0.304E+03	0.323E+03	0.152E+02	0.000E+00	0.982E+02	0.147E+04	0.130E+02
6/13/91					0.403E+02	0.338E+03	0.449E+03	0.182E+02	0.000E+00	0.110E+03	0.165E+04	0.146E+02
6/14/91					0.000E+00	0.364E+03	0.596E+03	0.218E+02	0.000E+00	0.122E+03	0.183E+04	0.162E+02
6/15/91					0.000E+00	0.382E+03	0.763E+03	0.260E+02	0.000E+00	0.131E+03	0.197E+04	0.174E+02
6/16/91					0.268E+02	0.393E+03	0.948E+03	0.302E+02	0.000E+00	0.138E+03	0.207E+04	0.183E+02
6/17/91					0.000E+00	0.397E+03	0.115E+04	0.346E+02	0.000E+00	0.143E+03	0.215E+04	0.190E+02
6/18/91					0.882E+03	0.410E+03	0.136E+04	0.273E+02	0.000E+00	0.126E+03	0.190E+04	0.168E+02
6/19/91					0.000E+00	0.412E+03	0.159E+04	0.213E+02	0.000E+00	0.133E+03	0.199E+04	0.176E+02
6/20/91					0.260E+02	0.409E+03	0.182E+04	0.235E+02	0.000E+00	0.134E+03	0.201E+04	0.178E+02
6/21/91					0.000E+00	0.401E+03	0.207E+04	0.258E+02	0.000E+00	0.135E+03	0.202E+04	0.179E+02
6/22/91					0.797E+03	0.386E+03	0.232E+04	0.170E+02	0.000E+00	0.110E+03	0.165E+04	0.146E+02
6/23/91					0.233E+01	0.350E+03	0.257E+04	0.107E+02	0.000E+00	0.113E+03	0.169E+04	0.149E+02
6/24/91					0.000E+00	0.340E+03	0.283E+04	0.116E+02	0.000E+00	0.112E+03	0.168E+04	0.148E+02
6/25/91					0.000E+00	0.327E+03	0.310E+04	0.125E+02	0.000E+00	0.110E+03	0.166E+04	0.147E+02
6/26/91					0.273E+03	0.316E+03	0.336E+04	0.983E+01	0.000E+00	0.950E+02	0.143E+04	0.126E+02
6/27/91					0.515E+02	0.294E+03	0.363E+04	0.704E+01	0.000E+00	0.915E+02	0.137E+04	0.121E+02
6/28/91					0.920E+02	0.275E+03	0.390E+04	0.574E+01	0.000E+00	0.836E+02	0.125E+04	0.111E+02
6/29/91					0.111E+01	0.257E+03	0.416E+04	0.508E+01	0.000E+00	0.828E+02	0.124E+04	0.110E+02
6/30/91					0.000E+00	0.247E+03	0.443E+04	0.537E+01	0.000E+00	0.816E+02	0.122E+04	0.108E+02
7/ 1/91					0.903E+02	0.238E+03	0.470E+04	0.450E+01	0.000E+00	0.727E+02	0.109E+04	0.966E+01
7/ 2/91					0.000E+00	0.225E+03	0.497E+04	0.378E+01	0.000E+00	0.724E+02	0.109E+04	0.961E+01
7/ 3/91					0.000E+00	0.189E+03	0.523E+04	0.397E+01	0.000E+00	0.715E+02	0.107E+04	0.949E+01

Lines removed for brevity

OUTPUT FILE WITH PESTICIDE SUMMARY: TEST73.ZP4 (Continued)

SEEPS (mg)	RESUS (mg)	DIFUS (mg)	PF (mg)	PW (mg)	PS (mg)	CPW (mg/l)	CPS (mg/kg)
0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
0.213E-02	0.151E-01	-0.652E+00	0.356E+03	0.380E+03	0.445E+02	0.574E-05	0.183E-05
0.296E-01	0.217E+00	-0.420E+01	0.119E+04	0.145E+04	0.345E+03	0.218E-04	0.142E-04
0.123E+00	0.906E+00	-0.103E+02	0.260E+04	0.278E+04	0.112E+04	0.428E-04	0.461E-04
0.312E+00	0.232E+01	-0.173E+02	0.452E+04	0.424E+04	0.251E+04	0.667E-04	0.103E-03
0.617E+00	0.460E+01	-0.247E+02	0.679E+04	0.577E+04	0.460E+04	0.926E-04	0.189E-03
0.105E+01	0.787E+01	-0.340E+02	0.458E+03	0.106E+05	0.752E+04	0.157E-03	0.309E-03
0.167E+01	0.124E+02	-0.525E+02	0.588E+03	0.123E+05	0.116E+05	0.188E-03	0.477E-03
0.246E+01	0.184E+02	-0.602E+02	0.724E+03	0.139E+05	0.166E+05	0.215E-03	0.683E-03
0.342E+01	0.256E+02	-0.662E+02	0.853E+03	0.152E+05	0.225E+05	0.238E-03	0.926E-03
0.453E+01	0.339E+02	-0.714E+02	0.103E+04	0.162E+05	0.293E+05	0.259E-03	0.121E-02
0.579E+01	0.434E+02	-0.749E+02	0.122E+04	0.168E+05	0.370E+05	0.276E-03	0.152E-02
0.720E+01	0.539E+02	-0.763E+02	0.140E+04	0.171E+05	0.454E+05	0.288E-03	0.187E-02
0.873E+01	0.654E+02	-0.766E+02	0.160E+04	0.172E+05	0.545E+05	0.297E-03	0.224E-02
0.104E+02	0.776E+02	-0.618E+02	0.872E+03	0.178E+05	0.639E+05	0.268E-03	0.263E-02
0.120E+02	0.903E+02	-0.622E+02	0.979E+03	0.178E+05	0.739E+05	0.274E-03	0.304E-02
0.138E+02	0.104E+03	-0.593E+02	0.106E+04	0.176E+05	0.844E+05	0.276E-03	0.347E-02
0.157E+02	0.118E+03	-0.559E+02	0.117E+04	0.171E+05	0.952E+05	0.277E-03	0.392E-02
0.176E+02	0.132E+03	-0.350E+02	0.445E+03	0.153E+05	0.106E+06	0.231E-03	0.437E-02
0.195E+02	0.146E+03	-0.327E+02	0.483E+03	0.149E+05	0.117E+06	0.230E-03	0.482E-02
0.215E+02	0.161E+03	-0.279E+02	0.524E+03	0.144E+05	0.129E+06	0.228E-03	0.529E-02
0.235E+02	0.176E+03	-0.226E+02	0.565E+03	0.139E+05	0.140E+06	0.225E-03	0.577E-02
0.255E+02	0.191E+03	-0.795E+01	0.322E+03	0.130E+05	0.152E+06	0.196E-03	0.625E-02
0.275E+02	0.207E+03	-0.122E+01	0.291E+03	0.124E+05	0.163E+06	0.187E-03	0.672E-02
0.295E+02	0.222E+03	0.844E+01	0.215E+03	0.114E+05	0.175E+06	0.171E-03	0.720E-02
0.316E+02	0.237E+03	0.134E+02	0.227E+03	0.109E+05	0.187E+06	0.169E-03	0.768E-02
0.336E+02	0.252E+03	0.186E+02	0.240E+03	0.105E+05	0.198E+06	0.166E-03	0.816E-02
0.356E+02	0.267E+03	0.289E+02	0.160E+03	0.992E+04	0.210E+06	0.149E-03	0.863E-02
0.376E+02	0.283E+03	0.335E+02	0.168E+03	0.955E+04	0.221E+06	0.148E-03	0.911E-02
0.396E+02	0.298E+03	0.384E+02	0.176E+03	0.675E+04	0.233E+06	0.144E-03	0.958E-02
0.416E+02	0.313E+03	0.449E+02	0.179E+03	0.399E+04	0.244E+06	0.136E-03	0.100E-01
0.436E+02	0.327E+03	0.585E+02	0.134E+03	0.188E+04	0.255E+06	0.111E-03	0.105E-01
0.436E+02	0.342E+03	0.670E+02	0.140E+03	0.000E+00	0.266E+06	0.000E+00	0.110E-01
0.968E+01	0.356E+03	0.103E+03	0.121E+03	0.000E+00	0.277E+06	0.000E+00	0.114E-01
0.000E+00	0.369E+03	0.107E+03	0.121E+03	0.000E+00	0.287E+06	0.000E+00	0.118E-01
0.000E+00	0.383E+03	0.111E+03	0.840E+02	0.000E+00	0.297E+06	0.000E+00	0.122E-01
0.000E+00	0.000E+00	0.000E+00	0.869E+02	0.000E+00	0.307E+06	0.000E+00	0.126E-01
0.000E+00	0.000E+00	0.000E+00	0.898E+02	0.000E+00	0.317E+06	0.000E+00	0.130E-01
0.000E+00	0.000E+00	0.000E+00	0.926E+02	0.000E+00	0.327E+06	0.000E+00	0.135E-01
0.000E+00	0.000E+00	0.000E+00	0.953E+02	0.000E+00	0.336E+06	0.000E+00	0.138E-01
0.000E+00	0.000E+00	0.000E+00	0.980E+02	0.000E+00	0.346E+06	0.000E+00	0.142E-01

OUTPUT FILE WITH TIME SERIES OUTPUT: TEST173.ZZT

```
*****
**          PESTICIDE RUNOFF MODEL FOR RICE CROPS          **
**          Metabolite Verison                            **
**          RICEWQ Version 1.7.3                          **
*****
```

FILE: RICEWQ.ZZT

Simulation started: 5/23/ 3 18:31:28

TEST173.INP
Hypothetical simulation of RICEWQ Version 1.7.3
Four chemicals

DATE	JULIAN DAY	QOUT (m3)	POUT1 (mg)	POUT2 (mg)	POUT3 (mg)	POUT4 (mg)	POUT5 (mg)
6/ 4/91	155	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 5/91	156	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 6/91	157	0.586E+03	0.146E+06	0.223E+04	0.111E+04	0.887E+01	0.000E+00
6/ 7/91	158	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 8/91	159	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/ 9/91	160	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/10/91	161	0.422E+05	0.733E+07	0.376E+06	0.188E+06	0.485E+04	0.000E+00
6/11/91	162	0.868E+03	0.176E+06	0.979E+04	0.490E+04	0.137E+03	0.000E+00
6/12/91	163	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/13/91	164	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/14/91	165	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/15/91	166	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/16/91	167	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/17/91	168	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/18/91	169	0.163E+04	0.989E+05	0.127E+05	0.633E+04	0.407E+03	0.000E+00
6/19/91	170	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/20/91	171	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/21/91	172	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/22/91	173	0.112E+05	0.373E+06	0.604E+05	0.302E+05	0.246E+04	0.000E+00
6/23/91	174	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/24/91	175	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/25/91	176	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/26/91	177	0.395E+04	0.739E+05	0.148E+05	0.740E+04	0.742E+03	0.000E+00
6/27/91	178	0.122E+04	0.213E+05	0.440E+04	0.220E+04	0.228E+03	0.000E+00
6/28/91	179	0.443E+04	0.649E+05	0.140E+05	0.701E+04	0.758E+03	0.000E+00
6/29/91	180	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
6/30/91	181	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/ 1/91	182	0.219E+04	0.208E+05	0.514E+04	0.257E+04	0.317E+03	0.000E+00
7/ 2/91	183	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/ 3/91	184	0.162E+05	0.138E+06	0.362E+05	0.181E+05	0.237E+04	0.000E+00
7/ 4/91	185	0.162E+05	0.123E+06	0.333E+05	0.167E+05	0.226E+04	0.000E+00
7/ 5/91	186	0.162E+05	0.914E+05	0.256E+05	0.128E+05	0.180E+04	0.000E+00
7/ 6/91	187	0.155E+05	0.735E+05	0.213E+05	0.106E+05	0.154E+04	0.000E+00
7/ 7/91	188	0.138E+04	0.826E+03	0.247E+03	0.123E+03	0.185E+02	0.000E+00
7/ 8/91	189	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/ 9/91	190	0.492E+04	0.133E+04	0.421E+03	0.210E+03	0.334E+02	0.000E+00
7/10/91	191	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/11/91	192	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/12/91	193	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/13/91	194	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/14/91	195	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/15/91	196	0.862E+04	0.128E+04	0.476E+03	0.238E+03	0.444E+02	0.000E+00
7/16/91	197	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/17/91	198	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/18/91	199	0.302E+04	0.869E+03	0.348E+03	0.174E+03	0.348E+02	0.000E+00
7/19/91	200	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/20/91	201	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/21/91	202	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/22/91	203	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/23/91	204	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
7/24/91	205	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

6.0 REFERENCES

1. Arnold, J.G., J.R. Williams, R. H. Griggs, and N.B. Sammons, 1991. SWRRBWQ: A Basin Scale Model for Assessing Management Impacts on Water Quality: U.S. Department of Agriculture, Agricultural Research Service, Grassland, Soil and Water Research Laboratory, Temple, Texas, pp. 10-13.
2. Burns, Lawrence, 1997. Exposure Analysis Modeling System (EXAMSII): User Guide for Version 2.97.5: Ecosystems Research Division, U.S. Environmental Protection Agency, Athens, GA, 106 pp.
3. Carsel, R.F., J.C. Imhoff, P.R. Hummel, J.M. Cheplick, and A.S. Donigian Jr. 1998. PRZM-3, A Model for Predicting Pesticide Nitrogen Fate in the Crop Root and Unsaturated Soil Zones: Users Manual for Release 3.0. National Exposure Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Athens, GA (draft).
4. Chapra, S.C., 1989. Water Quality Modeling of Toxic Organics in Lakes: CADSWES Working Paper No. 4., University of Colorado, Boulder.
5. Lahey Computer Systems, Inc., 1994. F77L-EM/32 Fortran: Incline Village, Nevada.
6. Linsley, R.K. and J. B. Franzini, 1979. Water-Resources Engineering: Third Edition, McGraw-Hill Book Company, New York, NY, p 30.

APPENDIX A VARIABLE DEFINITIONS

θ	Foliar extraction coefficient expressed as a washoff fraction per centimeter of precipitation.
ρ_b	Bulk density of the sediment.
ϕ	Porosity of sediment.
<i>COVER</i>	Interception potential of foliage at the time of application.
<i>COVMAX</i>	Interception potential of foliage at crop maturation.
C_S	Concentration in sediment
C_{SS}	Concentration of suspended sediment (mg/m ³).
C_W	Concentration in water column
<i>DRIFT</i>	Fraction lost to drift.
D_S	Depth of active sediment layer.
δt	1-day time interval used in the model.
D_W	Depth of water in the paddy during a specific time step.
F_{DS}	Fraction of chemical residues in dissolved form and within voids in the sediment.
F_{DW}	Fraction of chemical mass in dissolve phase.
F_{PW}	Fraction sorbed to suspended sediment.
<i>IGROW</i>	Number of days since crop emergence.
<i>JGROW</i>	Total number of days between emergence and maturation.
K_{bed}	Coefficient for direct partition from water to sediment in units of cm/day.
K_d	Water- sediment partition coefficient (cc/g).
K_{difus}	Rate of diffusion in m/day.
K_F	Foliar decay rate constant (day ⁻¹)
K_{resus}	Resuspension velocity in m/day.
K_{setl}	User-specified settling velocity.
K_S	Decay rate constant in sediment (day ⁻¹)
K_{volat}	Rate of volatilization (m/day).
K_W	Decay rate constant in water (day ⁻¹)
M_{app}	Parent application rate per unit area.
M_{bed}	Mass of pesticide transferred to bed sediment by direct partitioning.
M_{difus}	Mass diffusion between the water and sediment.
M_F	Mass of chemical on foliage.
M_{Fapp}	Parent pesticide application intercepted by foliage.
M_{Fdeg}	Mass degraded on foliage.
M_{Ftran}	Mass metabolite formed by foliar transformation
M_{harv}	Mass lost due to harvest of crop.
M_{out}	Mass lost in overflow or drainage.
M_{resus}	Mass reintroduced to the water column via resuspended sediments.
M_S	Mass of chemical in water.
M_{sdeg}	Chemical mass degraded in sediment.
M_{seep}	Mass lost in seepage.
M_{setl}	Mass transfer to sediment by particulate settling.
M_{stran}	Mass metabolite formed by transformation in sediment.
M_{volat}	Mass volatilized across the air-water interface.

M_W	Mass in water column.
M_{Wapp}	Portion of parent application not lost to drift or intercepted by crop.
M_{wash}	Chemical mass washed off from foliage.
M_{Wdeg}	Chemical mass degraded in water.
M_{Wtran}	Mass metabolite formed by transformation in water column.
P	Precipitation for the day.
Q_{out}	Flow draining from the paddy in m ³ /day.
Q_{seep}	Seepage rate (m/day).
SA	Surface area of the paddy.
SNK	Fraction of the mass of applied pesticide that is intercepted by water and immediately transformed to innocuous product.
V	Control volume.
V_W	Volume of water in the paddy at the specific time step.
YF	Foliar yield: fraction of parent which transforms to metabolite by foliar degradation.
Y_W	Aquatic yield: fraction of parent which transforms to metabolite by aquatic degradation
Y_S	Sediment yield: fraction of parent which transforms to metabolite by degradation in sediment.
∂C	Change in concentration over time (∂t).
$\sum I$	Cumulative sum of inflow.
∂M_F	Change in chemical mass on foliage over time (∂t).
$\sum M_{influx}$	Cumulative influx of chemical mass from the control volume.
$\sum M_{outflux}$	Cumulative outflow of chemical mass from the control volume.
$\sum M_{react}$	Mass transformation from all processes.
∂M_S	Change in chemical mass in sediment over time (∂t).
∂M_W	Change in chemical mass in water over time (∂t).
$\sum O$	Cumulative sum of outflow.
∂S	Change in storage.
∂t	Change in time.